




Manufacturer:

OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com

When ordering spare parts:

- Include the part number, description and desired quantities.
- Include your complete address.
- Specify how the parts are to be delivered.

TABLE OF CONTENTS

OQC70/55-R35


1.0 - ROTATOR KIT

1.1 - 07013-0030 (01) - QUICK COUPLER ROTATOR	4
1.2 - 07012-7523 - ROTATOR	6
1.2.1 - 07009-1131 - MOTOR ASSEMBLY (1450 PSI)	10
1.2.1.1 - 07009-1132 - VALVE MANIFOLD	11
1.2.1.2: 07013-1151 - MOTOR AND PINION	12
1.2.2 - 07012-3199 (03) - ACCUMULATOR OPTION KIT	14
1.2.3 - 07012-7455 - HYDRAULIC SWIVEL ASSEMBLY	16
1.3 - 07013-0032 (01) - ELECTRICAL INSTALLATION	18
1.3.1 - 07013-0032 (01) - ELECTRICAL INSTALLATION	18
1.4 - 07012-7465 - ELECTRICAL SCHEMATIC	20

2.0 - COUPLER

2.1 - OQE06030 - OQC70/55 SS COUPLER CHASSIS KIT	22
2.2 - OQE07456 - ASSY H-CYLINDER 2.0 OQC70/55	24
2.3 - OQ4126375 - ELECTRICAL COUPLING 100A 1/2"	25
2.4 - REAR SENSOR	26
2.5 - OQ5111850 - FIRST AID KIT OQC70/55	27

1.1 - 07013-0030 (01) QUICK COUPLER ROTATOR KIT




ITEM	PN#	NAME	QTY	UOM
1	008-0239	BOLT, 1/2-13 UNC X 1"LG. GR.8 ZINC	20	EA
2	008-0262	BOLT, 5/8-11 UNC X 2 1/2"LG. GR.8	4	EA
3	010-8447	LOCK NUT, 5/8-11 UNC	4	EA
4	012-0025	FLAT WASHER, 1/2"DIA.	16	EA
5	030-0029	STRAIGHT MALE ADAPTOR, 12 ORFSM x 12 ORB	2	EA
6	030-0109	ORFS ADAPTOR, 16 ORFSM x 16 ORB	2	EA
7	030-0407	HYDRAULIC FITTING	2	EA
8	030-0561	HYDRAULIC FITTING	2	EA
9	030-8542	HYDRAULIC ADAPTOR	2	EA
10	030-8957	MALE ORB PLUG	1	EA
11	030-8958	PLUG MALE, 16 ORB	1	EA
12	052-0688	BLUE NYLON TIE WRAP	2	EA
13	052-0690	YELLOW NYLON TIE WRAP	1	EA
14	052-1227	MANUAL PACK	1	EA
15	07010-3704	SPACER ASS'Y	1	EA
16	07010-3899	HOSES GUARD ASS'Y	1	EA
17	07010-5881	PROTECTION PLATE	1	EA
18	07010-5979	HYDRAULIC FITTING	2	EA
19	07010-7809	PALET	1	EA
20	07012-1777	PLATE	4	EA
21	07012-7465	ELECTRICAL SCHEMATIC	1	EA
22	07012-7523	ROTATOR	1	EA
23	07013-0032	ELECTRICAL INSTALLATION	1	EA
24	099-7603	HOSE 36" (CUT LENGTH)	2	EA
25	099-7604	HOSE 36" (CUT LENGTH)	2	EA
26	099-7605	HOSE 22" (CUT LENGTH)	2	EA

Comments for Page: 07013-0030 (01) QUICK COUPLER ROTATOR KIT

(#22 07012-7523) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

1.0 - ROTATOR KIT

1.2 - 07012-7523 - ROTATOR



ITEM	PN#	NAME	QTY	UOM
1	001-0001	GREASE FITTING, 1/8 NPT	1	EA
2	001-0011	GREASE FITTING, 1/8 NPT x 1 3/4"lg	2	EA
3	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	11	EA
4	008-0241	BOLT, 1/2-13 UNC x 1 1/2"lg. Gr.8 ZINC	2	EA
5	008-0264	BOLT, 5/8-11 UNC x 3 1/2"lg. Gr.8 ZINC	32	EA
6	008-0265	BOLT, 5/8-11 UNC x 4"lg. Gr.8	36	EA
7	008-0267	BOLT, 5/8-11 UNC x 5"lg. Gr.8	2	EA
8	008-0366	BOLT, 5/8-11 UNC x 2 1/4"lg. Gr. 8 ZINC	2	EA
9	008-4527	BOLT, 1/2-3 UNC x 1 3/4"lg. Gr.8	10	EA
10	010-0018	NYLON LOCK NUT, 2 x 1 1/2"lg. NF PL Gr.5 ZINC	1	EA
11	010-4433	NYLON LOCK NUT, 1/2-13 UNC Gr.8 ZINC	2	EA
12	012-0003	FLAT WASHER	36	EA
13	012-0025	FLAT WASHER, 1/2"dia.	11	EA
14	017-0254	HEX. SOCKET HEAD CAP SCREW, 5/8-11 UNC x 6"lg. Gr.8	4	EA
15	020-7759	FALSE SCREW, 4 x 1/4"lg.	2	EA
16	025-0003	FLANGE	2	EA
17	026-1036	90 M/F ADAPTOR, 1/8 NPT x 1/8 NPT	2	EA
18	030-0323	HYDRAULIC FITTING	2	EA
19	030-0425	HYDRAULIC FITTING	2	EA
20	030-0510	HYDRAULIC FITTING	2	EA
21	030-0534	HYDRAULIC FITTING	2	EA
22	030-0535	HYDRAULIC FITTING	2	EA
23	030-0575	HYDRAULIC FITTING	2	EA
24	030-8541	HYDRAULIC FITTING	2	EA
25	030-8552	ORFS PLUG 10	2	EA
26	030-8823	O'RING FACE SEAL BH UNION, 8 ORFSM x 8 ORFSM	2	EA
27	041-1729	O-RING	1	EA
28	048-0097	SLEWING RING	1	EA
29	052-0138	LOCK WASHER, 1/2"dia	4	EA
30	052-0657	SEALING PLUG, 2"dia.	2	EA
31	07001-7366	PROTECTOR PLATE	1	EA
32	07002-5060	SHIM (.030)	2	EA
33	07002-5067	SHIM (.120)	1	EA

ITEM	PN#	NAME	QTY	UOM
34	07005-8818	SHIM (.060)	2	EA
35	07007-7942	WASHER	1	EA
36	07009-1131	MOTOR ASS'Y	1	EA
37	07009-2624	HYDRAULIC SWIVEL LOCK	1	EA
38	07010-3055	HYDRAULIC FITTING	1	EA
39	07010-3714	HYDRAULIC SWIVEL HEAD	1	EA
40	07010-5816	HYDRAULIC FITTING	1	EA
41	07011-5768	PIN	1	EA
42	07011-5770	HOSES GUARD	1	EA
43	07011-5773	ROTATOR BASE ASS'Y	1	EA
44	07011-5779	MOTOR GUARD	1	EA
45	07012-3199	ACCUMULATOR OPTION KIT	1	EA
46	07012-7455	HYDRAULIC SWIVEL ASS'Y	1	EA
47	07012-7469	NAME PLATE HB3	1	EA
48	099-6677	HOSE 31" (CUT LENGTH)	1	EA
49	099-6678	HOSE 32" (CUT LENGTH)	1	EA
50	099-7610	HOSE 21" (CUT LENGTH)	1	EA
51	099-7611	HOSE 18" (CUT LENGTH)	1	EA
52	146-0219	GREASE ,LABEL	1	EA
53	146-0239	DANGER, LABEL	1	EA
54	146-0739	STRAIGHT GREASE CHROME ARROW, LABEL	3	EA
55	146-1148	ELECTRIC SHOCK HAZARD, LABEL	1	EA
56	146-3567	CAUTION LABEL	1	EA
57	509-0005	LOGO	1	EA
58	07010-6063	SEAL KIT	1	EA
59	146-2355	"RT-...HFE0...-OQC.." SERVICE MANUAL	1	EA

Comments for Page: 07012-7523 (05) ROTATOR


(#5 008-0264),(#6 008-0265),(#7 008-0267),(#8 008-0366),(#9 008-4527),(#14 017-0254) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite
 (#10 010-0018) Use a torque wrench. Lubricated torque values in ft-lb.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1.0 - ROTATOR KIT

1.2 - 07012-7523 - ROTATOR

1.2.1 - 07009-1131 - MOTOR ASSEMBLY



ITEM	PART NO.	NAME	QTY	UOM
1	017-0190	HEX. SOCKET HEAD CAP SCREW, M10 x 1.5 x 50 Gr. 8.8	4	EA
2	041-0103	SEAL	2	EA
3	07009-1132	VALVE MANIFOLD	1	EA
4	07013-1151	MOTOR & PINION	1	EA

Comments for Page: 07009-1131 (01) MOTOR ASS'Y


(#1 017-0190) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

1.0 - ROTATOR KIT

1.2 - 07012-7523 - ROTATOR

1.2.1 - 07009-1131 - MOTOR ASSEMBLY

1.2.1.1 - 07009-1132 - VALVE MANIFOLD



ITEM	PART NO.	NAME	QTY	UOM
1	030-0185	ORB MALE CONNECTOR, ORFS 10 x MALE SAE 10	2	EA
2	030-0228	HYDRAULIC FITTING	3	EA
3	07000-2297	RELIEF CARTRIDGE VALVE ASS'Y	2	EA
4	07001-7374	HYDRAULIC MANIFOLD	1	EA
5	638-0010	RESTRICTOR	2	EA
6	041-3741	O-RING	2	EA

Comments for Page: 07009-1132 VALVE MANIFOLD


(#3 07000-2297) Seal kit #6

1.0 - ROTATOR KIT

1.2 - 07012-7523 - ROTATOR

1.2.1 - 07009-1131 - MOTOR ASSEMBLY

1.2.1.2 - 07013-1151 - MOTOR & PINION



ITEM	PART NO.	NAME	QTY	UOM
1	011-0349	NUT, 1 1/4 UNF	1	EA
2	048-0112	BALL BEARING	1	EA
3	061-0244	HYDRAULIC MOTOR	1	EA
4	07001-7357	PINION	1	EA
5	061-0245	MOTOR SEAL KIT	1	EA

Comments for Page: 07013-1151 MOTOR & PINION


(#1 011-0349) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite
(#4 07001-7357) Use "Loctite" LT= Loctite
(#3 061-0244) Seal kit #5

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1.0 - ROTATOR KIT

1.2 - 07012-7523 - ROTATOR

1.2.2 - 07012-3199 - ACCUMULATOR OPTION KIT




ITEM	PN#	NAME	QTY	UOM
1	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	6	EA
2	012-0025	FLAT WASHER, 1/2"dia.	6	EA
3	012-0352	FLAT WASHER, 3/8 x 1.00"	4	EA
4	018-0041	FIXATION CLAMP	2	EA
5	030-1425	90° ADJUSTABLE ADAPTOR, MJIC 6 x 8 ORB	1	EA
6	030-7901	STRAIGHT MALE ADAPTOR, MJIC 6 x M BSPP 4	1	EA
7	07001-0536	ACCUMULATOR CHARGE	1	EA
8	07012-3072	BRACKET ASSY	1	EA
9	07013-3362	GUARD ASSY	1	EA
10	099-7687	HOSE 20" (CUT LENGTH)	1	EA
11	127-7299	NYLON LOCK NUT, M8 x 1.25"lg. CL8.8	4	EA

1.0 - ROTATOR KIT

1.2 - 07012-7523 - ROTATOR

1.2.3 - 07012-7455 - HYDRAULIC SWIVEL ASSEMBLY



ITEM	PART NO.	NAME	QTY	UOM
1	008-0258	BOLT, 5/8-11 UNC x 1"lg. Gr.8 ZINC	2	EA
2	017-0652	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 2"lg. Gr.8 ZINC	4	EA
3	07010-3683	HYDRAULIC SWIVEL SHAFT	1	EA
4	07010-3690	HYDRAULIC SWIVEL BARREL	1	EA
5	07010-5371	END PLATE	1	EA
6	07010-5853	SEAL KIT	1	EA
7	07010-8288	SWIVEL COVER	1	EA

Comments for Page: 07012-7455 HYDRAULIC SWIVEL ASS'Y


(#2 017-0652) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

[illegible]

1.0 - ROTATOR KIT

1.3 - 07013-0032 (01) - ELECTRICAL INSTALLATION

1.3.1 - 07013-0032 (01) - ELECTRICAL INSTALLATION




ITEM	PN#	NAME	QTY	UOM
1	008-0216	BOLT, 3/8-16 UNC x 3/4"lg. Gr.8 ZINC	2	EA
2	008-0303	BOLT, 5/16-18 UNC x 5/8"lg. Gr.8	4	EA
3	009-0328	NUT, 1/4-20 UNC Gr. 8	1	EA
4	012-0021	FLAT WASHER, 3/8"dia.	1	EA
5	017-0160	HEX. SOCKET HEAD CAP SCREW, 8-32 UNC x 5/8"lg. Gr.8 ZINC	4	EA
6	017-6146	HEX. SOCKET HEAD CAP SCREW, 1/4-20 UNC x 1/2"lg. ZINC	2	EA
7	020-0740	MECH. ROUND HEAD SQUARE SOCKET, 8-32 UNC x 1"lg.	1	EA
8	020-9618	NYLON LOCK NUT, 8-32 UNC	1	EA
9	043-0006	GASKET SEAL	1	EA
10	052-0015	CABLE GLAND	2	EA
11	052-0047	CABLE GLAND NUT	1	EA
12	052-0425	WIRE CLAMP	1	EA
13	052-2119	HEAT SHRINK TUBING DUAL WALL	1	FT
14	052-2960	CABLE GLAND REDUCER, 3/4 NPT	2	EA
15	052-2967	CABLE GLAND, 1 1/4 NPT (METAL)	2	EA
16	052-3693	SPLICE KIT	2	EA
17	052-3703	MULTI-CABLE GLAND SEALING GROMMET	2	EA
18	052-3781	ADAPTER M12 CIRCULAR CONNECTOR	1	EA
19	052-3782	4 PIN M12 CONNECTOR CABLE	1	EA
20	052-3792	SOLDER SLEEVE (.105)	4	EA
21	052-3800	ELECTRIC SLIPRING	1	EA
22	052-6286	TERMINAL	1	EA
23	052-9609	CABLE GLAND NUT	1	EA
24	07001-6468	ADAPTOR	2	EA
25	07010-5438	ELECTRIC SWIVEL LOCK	1	EA
26	07012-3119	JUNCTION BOX	1	EA
A,F,G	052-8733	PROTECTIVE NYLON SLEEVE, 14"lg. dia. 3/4"		FT
B,C	052-8094	WIRE PROTECTOR, 1/2"ID		FT
D	052-0162	HEAT SHRINK TUBING 1/2"		FT
E	052-8614	HEATSHRINK TUBING, 3/8"		FT
H	052-0021	JUNCTION TERMINAL BLOCK		FT

1.0 - ROTATOR KIT

1.4 - 07012-7465 - ELECTRICAL SCHEMATIC


OQC70/55 COUPLERS



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

2.0 - COUPLER



2.1 - OQE06030 - OQC70/55 SS COUPLER CHASSIS KIT



ITEM	PN#	NAME	QTY	UOM
1	30-00867	CABLE TIE MT FOR .35" X .13" CABLE TIE	2	EA
2	50-00482	NUT M8 - 1.25 Z_8	2	EA
3	50-00493	WASHER M8 - 16.0 X 1.6 Z	2	EA
4	50-00682	WASHER NORDLOCK M10 - 16.6 X 2.5 1244	2	EA
5	50-00754	NUT NYLOCK M8 Z_10.9	1	EA
6	50-00773	WASHER NORDLOCK M8 - 13.5 X 2.5 1231	2	EA
7	OQ4110907	OPENING BAR OQ70-70/55	1	EA
8	OQ4114075	LOCKING PLUNGER OQ70-70/55 Ø30	2	EA
9	OQ4114582	DIRT GUARD OQ70/55-80	1	EA
10	OQ4115362	GUIDE PLATE OQ70/55-80	1	EA
11	OQ4127307	SHIM - OQCS OQLS OQ70 OQ70/55	2	EA
12	OQ4131095	REAR SENSOR OQLS 2.0 OQ70, OQ70/55	1	EA
13	OQ7060079	SCREW MC6S M8 - 1.25 x 20 12.9	2	EA
14	OQ7060091	SCREW MF6S M6x20 10.9	4	EA
15	OQ7060148	SCREW MC6S M12x70 12.9	2	EA
16	OQ7060182	SCREW MC6LS M10x50 10.9	2	EA
17	OQ7060285	SH CS M6 -1.00 X 12 Z_12.9 LOW PROFILE	2	EA
18	OQ7065005	NUT - M12 NYLOCK	2	EA
19	OQ7205005	FTG-ZERK M10 X 1.5	4	EA
20	OQE07456	ASSY H-CYLINDER 2.0 OQC70/55	1	EA
21	OQE07458	MACH OQC70/55 COUPLER CHASSIS	1	EA

2.0 - COUPLER


2.2 - OQE07456 - ASSY H-CYLINDER 2.0 OQC70/55



ITEM	PN#	NAME	QTY	UOM
1	OQ4118454	HYDRAULIC COUPLING 1" - M33 FEMALE	2	EA
2	OQ4118524	HYDRAULIC COUPLING 3/4", M27 FEMALE	2	EA
3	OQ4126375	ELECTRICAL COUPLING 1/2" FEMALE -100 AMP	2	EA
4	OQ5111222	H-CYLINDER OQ70/55-OQC70/55-OQ80	1	EA
5	OQ7200228	FTG-HYD 12FOX M27x2.0 UF 90° adj	2	EA
6	OQ7200229	FTG-HYD FOX16 M33x2 UF 90° adj	2	EA
7	OQ7200493	FTG-HYD 16MM-E-04MO	2	EA

2.0 - COUPLER


2.3 - OQ4126375 - ELECTRICAL COUPLING - 100A 1/2"



ITEM	PN#	NAME	QTY	UOM
1	OQ4126372	FEMALE COUPLING BODY 1/2"	1	EA
2	OQ4126373	ISOLATOR FEMALE ELEC, COUPLING	1	EA
3	OQ4126374	ELECTRICAL COUPLING RETAINER	1	EA
4	OQ7039036	CONTACT SLEEVE 100A P1/100 BS FEMALE	1	EA
5	OQ7170017	CIRCLIP SGH 30 FEMALE 1"	1	EA
6	OQ7072037	WASHER SUPPORT M30 - 41.7 X 2.4	1	EA
7	OQ7170020	CIRCLIP AS - 30 T=2,0	1	EA
8	OQ4116307	ADAPTER RING 1/2", GUIDE PLATE	1	EA

2.0 - COUPLER

2.4 - REAR SENSOR



ITEM	PN#	NAME	QTY	UOM
1	50-00081	SH CS M6 - 1.00 X 20 Z_12.9	1	EA
2	50-00904	SH CS M6 - 1.00 X 25_Z 10.9	1	EA
3	50-00905	WASHER NORDLOCK M6 - 10.8 X 1.8 1519	2	EA
4	OQ4131095	REAR SENSOR OQLS 2.0 OQ70, OQ70/55	1	EA
5	OQE07421	CABLE-18" M8 6-POS MALE M12 5-POS FEMALE	1	EA

2.0 - COUPLER

2.5 - OQ5111850 - FIRST AID KIT OQC70/55

ITEM	PN#	NAME	QTY	UOM
1	OQ7020131	NOSE SEAL 3/4"	2	EA
2	OQ7020132	NOSE SEAL 1"	4	EA
3	OQ4112221	PUSHER 3/4"	1	EA
4	OQ4112222	PUSHER 1"	1	EA
5	OQ4116296	MOUNTING TOOL 3/4"	1	EA
6	OQ4116295	MOUNTING TOOL 1"	1	EA
7	OQ7406065	FIRST AID KIT BOX	1	EA

Dealer:



OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com