




Manufacturer:

OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com

When ordering spare parts:

- Include the part number, description and desired quantities.
- Include your complete address.
- Specify how the parts are to be delivered.



TABLE OF CONTENTS


OQC65-R25

1.0 - ROTATOR KIT	4
1.1 - 07012-3369 RT1004-OQC65 QUICK COUPLER ROTATOR KIT	4
1.1.1 - 07012 RT1004-OQC65 QUICK ROTATOR KIT	4
1.2 - 07012-3370 - ROTATOR	6
1.2.1 - 07012-3370 - ROTATOR	6
1.2.2 - 07011-5013 - MOTOR ASSEMBLY (1450 PSI)	10
1.3 - 07012-7401 - ELECTRICAL INSTALLATION	12
1.3.1 - 07012-7401 - ELECTRICAL INSTALLATION	12
1.3.2 - 07012-5763 - JUNCTION BOX ASSEMBLY	16
1.4 - 07012-7465 - ELECTRICAL SCHEMATIC	17
2.0 - COUPLER	18
2.1 - 5118207 - OQC65 COUPLER CHASSIS KIT	18
2.2 - 5118206 - COUPLER	20
2.3 - 4126375 - ELECTRICAL COUPLING - 100A 1/2"	22
2.4 - 4127121 - ELECTRICAL COUPLING - 100A 3/4"	23
3.0 - LOCK SUPPORT	24
3.1 - 5190367 - OQLS INSTALLATION KIT	24
3.2 - 5118109 - CAN CABLE KIT	26
3.3 - 5190307 - SENSOR KIT	27
3.4 - 5190250 - FRONT SENSOR OQLS 2.0 OQ65/C OQRAIL,OQ70	28
3.5 - 4120613 - LOCK VALVE	30
3.6 - 4123124 - DEPRESSURIZATION VALVE	32
3.7 - 51118101 - FIRST AID KIT	33
4.0 - ADAPTER PLATES	
4.1 - 4128288 - ADAPTER PLATE	34

1.0 - ROTATOR KIT

1.1 - 07012-3369 RT1004-OQC65 QUICK COUPLER ROTATOR KIT

1.1.1 - 07012 RT1004-OQC65 QUICK ROTATOR KIT



ITEM	OQRT PART NO.	NAME	QTY	UOM
1	008-0217	BOLT, 3/8-16 UNC x 1"lg. Gr.8 ZINC	12	EA
2	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	8	EA


ITEM	OQRT PART NO.	NAME	QTY	UOM
3	008-0242	BOLT, 1/2-13 UNC x 2"lg. Gr.8 ZINC	4	EA
4	010-4433	NYLON LOCK NUT, 1/2-13 UNC Gr.8 ZINC	4	EA
5	012-0021	FLAT WASHER, 3/8"dia.	12	EA
6	012-0025	FLAT WASHER, 1/2"dia.	34	EA
7	030-0032	HYDRAULIC FITTING	1	EA
8	030-0162	ADAPTOR, 12 ORFSM x 16 ORB	2	EA
9	030-0323	HYDRAULIC FITTING	1	EA
10	030-0561	HYDRAULIC FITTING	1	EA
11	030-0613	HYDRAULIC FITTING	2	EA
12	030-8542	HYDRAULIC ADAPTOR	2	EA
13	052-0688	BLUE NYLON TIE WRAP	1	EA
14	052-0690	YELLOW NYLON TIE WRAP	1	EA
15	052-1244	CASE DOCUMENT PLASTIC	1	EA
16	07011-5837	SPACER ASSY	1	EA
17	07011-5870	PROTECTION PLATE	1	EA
18	07011-5903	HOSES GUARD ASS'Y	1	EA
19	07011-6212	PALET	1	EA
20	07011-6897	GUARD	2	EA
21	07012-3370	ROTATOR	1	EA
22	07012-7401	ELECTRICAL INSTALLATION	1	EA
23	07012-7465	ELECTRICAL SCHEMATIC	1	EA
24	099-7759	HOSE 25" (CUT LENGTH)	1	EA
25	099-7760	HOSE 23" (CUT LENGTH)	1	EA
26	099-7762	HOSE 13" (CUT LENGTH)	2	EA
27	115-9969	METRIC BOLT	30	EA
28	509-0005	LOGO	1	EA

Comments for Page: 07012-3369 RT1004-OQC65 QUICK COUPLER ROTATOR KIT
 (#21 07012-3370), (#27 115-9969) Use a torque wrench. Lubricated torque values in ft-lb.

1.0 - ROTATOR KIT

1.2 - 07012-3370 - ROTATOR


1.2.1 - 07012-3370 - ROTATOR



1.0 - ROTATOR KIT

1.2 - 07012-3370 - ROTATOR

1.2.1 - 07012-3370 - ROTATOR - CONTINUED



ITEM	OQRT PART NO.	NAME	QTY	UOM
1	001-0001	GREASE FITTING, 1/8 NPT	2	EA
2	003-0048	SPRING PIN, 1/4 x 3/4"lg.	1	EA
3	003-0052	COILED SPRING PIN	2	EA
4	004-0013	RETAINING RING	1	EA
5	008-0217	BOLT, 3/8-16 UNC x 1"lg. Gr.8 ZINC	4	EA
6	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	4	EA
7	008-0240	BOLT, 1/2-13 UNC x 1 1/4"lg. Gr.8	12	EA
8	008-0347	BOLT, 3/4-16 UNF x 9-1/2"lg. Gr.8	16	EA
9	008-4527	BOLT, 1/2-3 UNC x 1 3/4"lg. Gr.8	4	EA
10	012-0009	FLAT WASHER, 1/2"dia ZINC	8	EA
11	017-0169	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 3"lg. Gr.8 ZINC	2	EA
12	017-0269	HEX. SOCKET HEAD CAP SCREW, 5/16-18 UNC x 1 1/2"lg. Gr.8	4	EA
13	017-0631	HEX. SOCKET SCREW, 3/8-16 UNC x 1/2"lg. Gr.8	4	EA
14	017-0650	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 1 1/2"lg. Gr.8 ZINC	1	EA
15	017-0658	HEX. SOCKET HEAD CAP SCREW, 3/8-16 UNC x 1"lg. Gr.8 ZINC	4	EA
16	017-0660	HEX. SOCKET HEAD CAP SCREW, 3/8-16 UNC x 1 1/2"lg	10	EA
17	017-0662	HEX. SOCKET HEAD CAP SCREW, 3/8-16 UNC x 2"lg. Gr.8 ZINC	2	EA
18	019-0038	DOWEL PIN, 1/4 dia. x 3/4"lg	1	EA
19	020-0086	DRIVE SCREW ZINC, 14-9 x 1/2"	4	EA
20	020-7759	FALSE SCREW, 4 x 1/4"lg.	2	EA
21	030-0015	HYDRAULIC ADAPTOR	2	EA

ITEM	OQRT PART NO.	NAME	QTY	UOM
22	030-0032	HYDRAULIC FITTING	2	EA
23	030-0109	ORFS ADAPTOR, 16 ORFSM x 16 ORB	2	EA
24	030-0186	PLUG 24 ORB	2	EA
25	030-0220	ADAPTER HYDRAULIC	2	EA
26	030-0407	HYDRAULIC FITTING	2	EA
27	030-0613	HYDRAULIC FITTING	2	EA
28	030-3497	HYDRAULIC FITTING	2	EA
29	030-8552	ORFS PLUG 10	2	EA
30	030-8957	MALE ORB PLUG	1	EA
31	040-0008	HYDRAULIC SWIVEL SEAL 4"	5	EA
32	041-0018	O-RING	2	EA
33	041-0073	O-RING	2	EA
34	041-0110	O-RING	2	EA
35	041-1668	O-RING	1	EA
36	041-3828	O-RING	1	EA
37	042-8072	QUAD-RING SEAL 4342	2	EA
38	044-0004	BACKUP RING	2	EA
39	044-0031	BACK-UP-RING	2	EA
40	045-0008	SEAL	1	EA
41	048-0060	NUT	1	EA
42	048-0063	LOCK WASHER	2	EA
43	048-0113	TAPERED ROLLER BEARING	2	EA
44	048-0147	NEEDLE BEARING	1	EA
45	067-0344	PLUG	1	EA
46	07002-5985	LOGO ROTOBEC	1	EA
47	07007-4973	SHIM KIT	1	EA
48	07011-2547	BOTTOM PLATE	1	EA
49	07011-5013	MOTOR ASS'Y (1450 PSI)	1	EA
50	07011-5885	ROTATOR HOUSING	1	EA
51	07011-5958	END PLATE	1	EA
52	07011-5968	ROTATOR SHAFT	1	EA
53	07011-5969	HYDRAULIC SWIVEL BARREL	1	EA
54	07011-5970	SWIVEL SHAFT	1	EA

ITEM	OQRT PART NO.	NAME	QTY	UOM
55	07011-6057	MOTOR GUARD ASS'Y	1	EA
56	07012-4629	HM2 NAME PLATE	1	EA
57	07012-5305	GUARD ASS'Y	1	EA
58	146-0738	GREASE ON LEFT, LABEL	1	EA
59	146-0739	STRAIGHT GREASE CHROME ARROW, LABEL	1	EA
60	146-0890	CRUSH ZONE, LABEL	1	EA
61	146-1148	ELECTRIC SHOCK HAZARD, LABEL	1	EA
62	146-1217	LABEL	1	EA
63	638-0010	RESTRICTOR	2	EA
64	691-0011	STOPPER	1	EA
65	692-0002	RING GEAR	1	EA
66	692-0003	COVER	1	EA
67	692-0023	BEARING HOUSING	1	EA
68	892-0011	SLEEVE KIT, 8 x 3"	1	EA
69	067-0194	CARTRIDGE SEAL KIT	1	EA
70	097-0062	SEAL KIT	1	EA

Comments for Page: 07012-3370 ROTATOR

(#5 008-0217),(#9 008-4527),(#11 017-0169),(#12 017-0269),(#14 017-0650),(#15 017-0658),(#16 017-0660),
 (#17 017-0662),(#41 048-0060) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

(#7 008-0240),(#45 067-0344),(#68 892-0011) Use a torque wrench. Lubricated torque values in ft-lb.


(#41 048-0060) Note 1: Refer to Service Manual for torque values

(#45 067-0344) Seal kit #69

1.0 - ROTATOR KIT

1.2 - 07012-3370 - ROTATOR

1.2.2 - 07011-5013 - MOTOR ASSEMBLY (1450 PSI)



ITEM	OQRT PART NO.	NAME	QTY	UOM
1	030-0227	FILTER ADAPTOR	2	EA
2	030-0228	HYDRAULIC FITTING	4	EA
3	040-0030	SHAFT SEAL	1	EA
4	048-0146	THRUST BEARING	1	EA
5	048-0341	BEARING	1	EA
6	064-0020	HYDRAULIC MOTOR	1	EA
7	07008-3383	CONNECTING SHAFT	1	EA


ITEM	OQRT PART NO.	NAME	QTY	UOM
8	07008-3578	MOTOR BASE	1	EA
9	07009-1311	SEAL KIT (includes 040-0030)	1	EA
10	07011-5645	PINION	1	EA
11	07011-5646	SHAFT SUPPORT	1	EA
12	838-0005	RELIEF CARTRIDGE VALVE	2	EA

Comments for Page: 07011-5013 (01) MOTOR ASSY (1450 PSI)
 (#6 064-0020) Use a torque wrench. Lubricated torque values in ft-lb.

1.0 - ROTATOR KIT

1.3 - 07012-7401 - ELECTRICAL INSTALLATION


1.3.1 - 07012-7401 - ELECTRICAL INSTALLATION



1.0 - ROTATOR KIT

1.3 - 07012-7401 - ELECTRICAL INSTALLATION


1.3.1 - 07012-7401 - ELECTRICAL INSTALLATION - *CONTINUED*



1.0 - ROTATOR KIT

1.3 - 07012-7401 - ELECTRICAL INSTALLATION

1.3.1 - 07012-7401 - ELECTRICAL INSTALLATION - *CONTINUED*



ITEM	OQRT PART NO.	NAME	QTY	UOM
1	008-0303	BOLT, 5/8-18 UNC x 5/8"lg. Gr.8	4	EA
2	008-4527	BOLT, 1/2-3 UNC x 1 3/4"lg. Gr.8	2	EA
3	010-0338	NYLON LOCK NUT, 1/4-20 UNC x 3/8"lg. Gr.8	5	EA
4	010-0340	NYLON LOCK NUT, 3/8-16 UNC x 7/16"lg. ZINC	2	EA
5	012-0009	FLAT WASHER, 1/2"dia ZINC	4	EA
6	012-0021	FLAT WASHER, 3/8"dia.	2	EA
7	012-0350	FLAT WASHER, 1/4" USS ZINC	6	EA
8	017-6146	HEX. SOCKET HEAD CAP SCREW, 1/4-20 UNC x 1/2"lg. ZINC	2	EA
9	043-0006	GASKET SEAL	1	EA
10	052-0015	CABLE GLAND	1	EA
11	052-0425	WIRE CLAMP	2	EA
12	052-0728	CABLE GLAND	1	EA
13	052-1389	STEEL RIGID CONDUIT LOCKNUT 1"	1	EA

ITEM	OQRT PART NO.	NAME	QTY	UOM
14	052-2119	HEAT SHRINK TUBING DUAL WALL	1	FT
15	052-2655	ISOLATED CLAMP	1	EA
16	052-2960	CABLE GLAND REDUCER, 3/4 NPT	1	EA
17	052-3683	SPLICE KIT	3	EA
18	052-3703	MULTI-CABLE GLAND SEALING GROMMET	1	EA
19	052-3704	MULTI-CABLE GLAND SEAL. GROMMET	1	EA
20	052-3781	ADAPTER M12 CIRCULAR CONNECTOR	1	EA
21	052-3782	4 PIN M12 CONNECTOR CABLE	1	EA
22	052-3792	SOLDER SLEEVE (.105)	4	EA
23	052-3800	ELECTRIC SLIPRING	1	EA
24	052-4041	CABLE GLAND	1	EA
25	052-9609	CABLE GLAND NUT	1	EA
26	07001-2833	ADAPTOR	2	EA
27	07011-6021	ELECTRIC SWIVEL LOCK	1	EA
28	07012-4979	PLATE	1	EA
29	07012-4984	SPACER	1	EA
30	07012-5227	BRACKET ASS'Y	1	EA
31	07012-5763	JUNCTION BOX ASS'Y	1	EA
A,F	052-8733	PROTECTIVE NYLON SLEEVE, 14"lg. dia. 3/4"		FT
B	052-0162	HEAT SHRINK TUBING 1/2"		FT
C,E	052-8094	WIRE PROTECTOR, 1/2"ID		FT
D	052-2117	HEAT SHRINK TUBING, 6"lg.-1/16"-3/16"		EA
G	052-8614	HEATSHRINK TUBING, 3/8"		FT


Comments for Page: 07012-7401 ELECTRICAL INSTALLATION

(#2 008-4527) Use a torque wrench. Lubricated torque values in ft-lb.

1.0 - ROTATOR KIT

1.3 - 07012-7401 - ELECTRICAL INSTALLATION


1.3.2 - 07012-5763 - JUNCTION BOX ASSEMBLY



ITEM	OQRT PART NO.	NAME	QTY	UOM
1	008-0198	BOLT, 1/4-20 UNC x 3/4"lg. Gr.8	2	EA
2	008-0203	BOLT, 1/4-20 UNC x 2 1/2"lg. Gr.8	2	EA
3	008-0361	BOLT, 1/4-20 UNC x 2 3/4"lg. Gr.8 ZINC	2	EA
4	009-0050	LOCKNUT BRASS, M12 X 1.5	1	EA
5	010-0338	NYLON LOCK NUT, 1/4-20 UNC x 3/8"lg. Gr.8	6	EA
6	041-0071	O-RING	1	EA
7	041-1645	O-RING 009	6	EA
8	052-3678	BREATHABLE VENT WITH NUT	1	EA
9	052-3764	ELECTRICAL ENCLOSURE DRAIN, M12 x 1.5	1	EA
10	07012-5177	JUNCTION BOX	1	EA
11	07012-5178	JUNCTION BOX COVER	1	EA


1.0 - ROTATOR KIT

1.4 - 07012-7465 - ELECTRICAL SCHEMATIC



2.0 - COUPLER

2.1 - 5118207 - OQC65 COUPLER CHASSIS KIT




ITEM	PN#	NAME	QTY	UOM
1	OQ5118206	OQC65 CHASSIS ASSEMBLY	1	EA
2	OQ5190307	OQC65 OQLS 2.0 SENSOR KIT	1	EA
3	OQ5118109	OQLS CAN CABLE KIT OQC65	1	EA
4	OQ5190367	BASE KIT OQLS 2.0 OQC65 OQC70/55 SNGLPRS	1	EA
5	OQ4123124	VALVE - DEPRESSURIZATION 24V DT	1	EA
6	OQ4120613	VALVE - LOCK/OPEN POWERBOOST	1	EA
7	OQ5118101	FIRST AID KIT OQC65	1	EA
8	OQ5190250	FRONT SENSOR OQLS 2.0 OQ65/C OQRAIL,OQ70	1	EA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

2.0 - COUPLER


2.2 - 5118206 - COUPLER



ITEM	PN#	NAME	QTY	UOM
1	OQ4129340	CHASSIS OQC65	1	EA
2	OQ4115585	H-CYLINDER OQ65	1	EA
3	OQ4114638	LOCK PLUNGER OQ65	2	EA
4	OQ7060051	SCREW MC6S M12x60 12.9	2	EA
5	OQ7065005	NUT- M12 NYLOCK	2	EA
6	OQ7060078	SCREW MC6S M8 - 1.25 x 35	2	EA
7	OQ7072021	WASHER NORDLOCK M8	6	EA
8	OQ7060079	SCREW MC6S M8 - 1.25 x 20 12.9	4	EA
9	OQ4115781	GUIDE PLATE OQ65	1	EA
10	OQ4114640	DIRT GUARD OQ65	1	EA
11	OQ7060091	SCREW MF6S M6X20 10.9	4	EA
12	OQ4114642	OPENING BAR OQ65	1	EA
13	OQ7065010	NUT M6M M 6 FZB	2	EA
14	OQ7072030	WASHER M6 - 12.0 X 1.5 Z (use 50-00187)	1	EA
15	OQ7065021	LOCKING NUT M6 NYLOCK	1	EA
16	OQ7410059	PINCH DECAL	2	EA
17	OQ7205005	GREASE NIPPLE M10x1,5	4	EA
18	OQ4118161	OILQUICK IDENTIFICATION PLATE SERIAL TAG	1	EA
19	OQ7093007	POP RIVET A 3,2x12,5	4	EA
20	OQ4118524	HYDRAULIC COUPLING 3/4", M27 FEMALE	2	EA
21	OQ7200300	REDUCER OQC65	2	EA
22	OQ7200500	ADAPTER ORFS16 UF-M27x2 UF STB 90 NIPPLE	2	EA
23	40-00236	FTG-HYD 12MME-04MO	2	EA
24	OQ4126375	COUPLING 1/2" FEMALE -100 AMP ELECTRICAL	2	EA
25	OQ4127121	COUPLING 3/4" FEMALE-100 AMP TUBULAR	1	EA
26	OQIN1066851	PIN OQC	4	EA

2.0 - COUPLER


2.3 - 4126375 - ELECTRICAL COUPLING - 100A 1/2"



ITEM	PN#	NAME	QTY	UOM
1	OQ4126372	FEMALE COUPLING BODY 1/2"	1	EA
2	OQ4126373	ISOLATOR FEMALE ELEC. COUPLING	1	EA
3	OQ4126374	ELECTRICAL COUPLING RETAINER	1	EA
4	OQ7039036	CONTACT SLEEVE 100A P1/100 BS FEMALE	1	EA
5	OQ7170017	CIRCLIP SGH 30 FEMALE 1"	1	EA
6	OQ7072037	WASHER SUPPORT M30 - 41.7 X 2.4	1	EA
7	OQ7170020	CIRCLIP AS - 30 T=2,0	1	EA
8	OQ4116307	ADAPTOR RING 1/2", GUIDE PLATE	1	EA

2.0 - COUPLER


2.4 - 4127121 - ELECTRICAL COUPLING - 100A 3/4"



ITEM	PN#	NAME	QTY	UOM
1	OQ4127119	FEMALE COUPLING BODY 3/4"	1	EA
2	OQ4126373	ISOLATOR FEMALE ELEC. COUPLING	1	EA
3	OQ7039036	CONTACT SLEEVE 100A P1/100 BS FEMALE	1	EA
4	OQ4126374	ELECTRICAL COUPLING RETAINER	1	EA
5	OQ7170017	CIRCLIP SGH 30 FEMALE 1"	1	EA
6	OQ4115170	WASHER SUPPORT M39 - 49.0 X 2.4	1	EA
7	OQ4127120	NOSE RING - 3/4" 100A FEMALE COUPLING	1	EA
8	OQ7170023	CIRCLIP AS - 38 T=2.5	1	EA

3.0 - LOCK SUPPORT


3.1 - 5190367 - OQLS INSTALLATION KIT



ITEM	PN#	NAME	QTY	UOM
1	OQ4126332	OQLS CABIN PANEL GEN 2 (NEW)	1	EA
2	OQ4131663	MASTER UNIT - OQLS 2.0 (SINGLE PRESS)	1	EA
3	OQ4121394	CABLE Set OQLS (PB/LOCK/PRESSURE)	2	EA
4	OQ4121393	CABLE DEPRESSURIZATION VALVE OQ80	1	EA
5	OQ4123140	CABLE POWER OQLS OQ80, TLE	1	EA
6	OQ7034048	2 PIN PLUG DT06-2S	2	EA
7	OQ7034051	2 PIN PLUG WEDGE LOCK W2S	2	EA
8	OQ7034026	DEUTCH CONNECTOR SOCKET 24022-01	12	EA
9	OQ7034133	PROTECTIVE HOOD DT2S-BT	2	EA
10	OQ7034034	HEAT SHRINK	3	EA
11	OQ7034025	4 PIN PLUG DT06-04SA	1	EA
12	OQ7034023	4 PIN WEDGE LOCK W04S	1	EA
13	OQ7034131	PROTECTIVE HOOD DT4S-BT	1	EA
14	OQ7034140	SPLIT LOOM	1	EA
15	OQ4124026	MOUNTING PLATE - MASTER UNIT	1	EA
16	OQ7060153	SCREW MC6S M5x30 12.9	2	EA
17	OQ7072033	WASHER NORDLOCK M5 - 9.0 X 1.8	2	EA
18	OQ7033002	CABLE - OQLS PANEL 6M (19' 6" lg)	1	EA
19	OQ7033010	OQLS EXTENSION CABLE 10M 12-pol OQC65/70	1	EA

3.0 - LOCK SUPPORT


3.2 - 5118109 - CAN CABLE KIT



ITEM	PN#	NAME	QTY	UOM
1	OQ7033069	CABLE - OQLS EXTENSION, BOOM L=1,0M M-F	3	EA
2	OQ7033070	CABLE - OQLS EXTENSION, BOOM L=2,0M M-F	4	EA
3	OQ7033083	EXTENSION CANBUS OQCS/OQLS M/F 6M(19'6")	3	EA

3.0 - LOCK SUPPORT


3.3 - 5190307 - SENSOR KIT



ITEM	PN#	NAME	QTY	UOM
1	OQ7087000	CABLE RETAINER	1	EA
2	OQ7060285	SH CS M6 -1.00 X 12 Z_12.9 LOW PROFILE	1	EA
3	OQ7033100	CABLE - SENSOR OQLS 2.0 0.5M OQC65-70/55	1	EA
4	OQ7060153	SCREW MC6S M5x30 12.9	2	EA
5	OQ7072033	WASHER NORDLOCK M5 - 9.0 X 1.8	2	EA
6	OQ4131384	STICK UNIT - OQLS 2.0	1	EA
7	OQ4131065	REAR SENSOR (CHASSIS) OQLS 2.0 OQ65	1	EA

3.0 - LOCK SUPPORT

3.4 - 5190250 - FRONT SENSOR OQLS 2.0 OQ65/C OQRAIL,OQ70




ITEM	PN#	NAME	QTY	UOM
1	OQ4123106	HOLDER - FRONT SENSOR	1	EA
2	OQ4123108	RETAINER - FRONT SENSOR	1	EA
3	OQ4123107	DEPTH NUT - FRONT SENSOR	1	EA
4	OQ4131394	INDUCTIVE SENSORS - OQLS 2.0	1	EA


[illegible]

3.0 - LOCK SUPPORT




3.5 - 4120613 - LOCK VALVE



A-A



B-B




Via the plug LST, the stop screw can be removed and replaced with an M6 throttle. This may be necessary for the LS signal to function correctly.

Hydraulic components Cleanliness requirements according to
OQ 600 0109

ITEM	PN#	NAME	QTY	UOM
1	OQ4125986	LOCK - POWERBOOST VALVE BLOCK	1	EA
2	OQ7005057	SOLENOID 24V LOCK-POWER BOOST VALVE	2	EA
3	OQ7005053	VALVE CARTRIDGE 6/2 (LOCKING SIDE)	1	EA
4	OQ7005054	VALVE CARTRIDGE 2/2 (POWERBOOST SIDE)	1	EA
5	OQ7200283	PLUG G1/4" ED	1	EA
6	OQ7060011	SCREW SK6SS M6x8	1	EA
7	50-00905	WASHER NORDLOCK M6 - 10.8 X 1.8 1519	3	EA
8	OQ7060076	SCREW MC6S M6x55 12.9	3	EA
9	OQ7009024	LOCK - POWER BOOST CHECK VALVE	1	EA
10	OQ4125987	M6 ORIFICE (1.5MM)	1	EA

3.0 - LOCK SUPPORT

3.6 - 4123124 - DEPRESSURIZATION VALVE



ITEM	PN#	NAME	QTY	UOM
1	OQ4115423	HYDRAULIC BLOCK, DEPRESSURIZING KIT	1	EA
2	OQ7060056	SCREW MC6S M8 - 1.25 x 80 12.9	2	EA
3	OQ7072021	WASHER NORDLOCK M8	2	EA
4	OQ7200207	NIPPLE ORFS04 UF-M14x1.5 UF	3	EA
5	OQ7200214	PLUG M14x1,5	2	EA
6A	OQ7005082	VALVE CARTRIDGE 2/2	2	EA
6B	OQ7005069	VALVE CARTRIDGE 2/2 PRV PARKER	2	EA
7A	OQ7005083	SOLENOID 28V, DT, DEPRESSURIZING (ROUND)	2	EA
7B	OQ7005070	SOLENOID 28V, DT, DEPRESSURIZING (SQUARE)	2	EA


3.0 - LOCK SUPPORT

3.7 - 5118101 - FIRST AID KIT

ITEM	PN#	NAME	QTY	UOM
1	OQ7406065	FIRST AID KIT BOX	4	EA
2	OQ4112221	PUSHER 3/4"	1	EA
3	OQ4116296	MOUNTING TOOL 3/4"	1	EA
4	OQ7406065	FIRST AID KIT BOX	1	EA

4.0 - ADAPTER PLATES

4.1 - 4128288 - ADAPTER PLATE



ITEM	PN#	NAME	QTY	UOM
1	OQ4125596	OBS -OQC65 - FRAME BLANK	1	EA
2	OQ4116145	EMBLEM - OILQUICK - OQ45-OQ65	2	EA
3	OQ7206017	HYDRAULIC COUPLING 1/2", MALE	1	EA
4	OQ7160048	O-RING 17,6x2,62 NBR70	1	EA
5	OQ4113765	BULK HEAD 1/2" SHORT OQ65	1	EA
6	OQ7160031	RUBBER RING 22x4	4	EA
7	OQ4112316	WASHER 0.750 - 1.49 X 0.12 P	7	EA
8	OQ4112399	NUT 13/16"-16UN, T=9	2	EA
9	OQ7160045	O-RING-014 -08MO (12,42x1,78) NBR 90D	1	EA
10	OQ4113859	POLY ADAPTER 1/2"	1	EA
11	OQ4112660	WASHER 1/2"	1	EA
12	OQ7060118	SCREW	2	EA
13	OQ7206019	HYDRAULIC COUPLING 3/4", MALE	1	EA
14	OQ7160049	O-RING 23,47x2,62 NBR70	1	EA
15	OQ4113766	BULK HEAD 3/4" SHORT OQ65	1	EA
16	OQ7160043	O-RING 34x5 NBR 70	6	EA
17	OQ4112315	WASHER 1.188 - 1.88 X 0.12 P	2	EA
18	OQ4112398	NUT 1 3/16"-12UN, T=10,5	2	EA
19	OQ7160046	O-RING-018 -12MO (18,77x1,78) NBR 90D	1	EA
20	OQ4113857	POLY ADAPTOR 3/4"	1	EA
21	OQ7160032	RUBBER RING 30X4	1	EA
22	OQ4112659	WASHER 3/4"	1	EA
23	OQ4126376	COUPLING BODY - 100AMP MALE PIN CONNECTOR- 100A	2	EA
24	OQ7039037	PIN CONNECTOR- 100A MALE ELECTRICAL	2	EA
25	OQ4126377	PRESSURE WASHER-LEC BULKHEAD 3/4", 1/2" OQC	2	EA
26	OQ4126379	BULK HEAD 3/4"	1	EA
27	OQ4127122	BULK HEAD 3/4" SHORT	1	EA
28	OQ4113860	POLY ADAPTER 1/2" OQ60-OQ65	1	EA
29	OQ5110082	COUPLING KIT 1/2" OQ65 NO BLOCK	1	EA
30	OQ4126380	ELECTRICAL COUPLING 1/2" MALE -100 AMP ADAPTOR	1	EA
31	OQ4113858	POLY ADAPTER 3/4" OQ65	1	EA
32	OQ5110083	COUPLING KIT 3/4" OQ65 NO BLOCK	1	EA
33	OQ4127123	ELEC COUPLING 3/4" MALE - 100AMP OQ60-65	1	EA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Dealer:



OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com