




Manufacturer:

OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com

When ordering spare parts:

- Include the part number, description and desired quantities.
- Include your complete address.
- Specify how the parts are to be delivered.



TABLE OF CONTENTS

OQC65-R20

1.0 - ROTATOR KIT


1.1 - 07013-9469 RT504-OQC65 QUICK COUPLER ROTATOR KIT	4
1.2 - 07012-3367 - ROTATOR	6
1.2.1 - 07012-3367 - ROTATOR	6
1.2.2 - 07011-5013 - MOTOR ASSEMBLY (1450 PSI)	10
1.3 - 07013-9468 - ELECTRICAL INSTALLATION	12
1.3.1 - 07012-9468 - ELECTRICAL INSTALLATION	12
1.3.2 - 07012-5763 - JUNCTION BOX ASSEMBLY	16
1.4 - 07012-7465 - ELECTRICAL SCHEMATIC	17

2.0 - COUPLER

2.1 - OQE06000 - OQC65 SS COUPLER CHASSIS KIT	18
2.2 - OQE07455 - ASSY H-CYLINDER 2.0 OQC65	20
2.3 - QQ4126375 - ELECTRICAL COUPLING - 100A 1/2"	22
2.4 - QQ4127121 - ELECTRICAL COUPLING - 100A 3/4"	23
2.5 - QQ4131065 - REAR SENSOR	24
2.6 - QQ5118101 - FIRST AID KIT	25

1.0 - ROTATOR KIT

1.1 - 07013-9469 RT504-OQC65 QUICK COUPLER ROTATOR KIT



ITEM	PN#	NAME	QTY	UOM
1	008--0217	BOLT, 3/8-16 UNC X 1"LG. GR.8 ZINC	12	EA
2	008-0239	BOLT, 1/2-1613 UNC X 1"LG. GR.8 ZINC	8	EA
3	008-0242	BOLT, 1/2-13 UNC x 2"lg. Gr.8 ZINC	4	EA
4	010-4433	NYLON LOCK NUT, 1/2-13 UNC Gr.8 ZINC	4	EA
5	012-0021	FLAT WASHER, 3/8"dia.	12	EA
6	012-0025	FLAT WASHER, 1/2"dia.	4	EA
7	030-0032	HYDRAULIC FITTING	1	EA
8	030-0162	ADAPTOR, 12 ORFSM x 16 ORB	2	EA
9	030-0323	HYDRAULIC FITTING	1	EA
10	030-0561	HYDRAULIC FITTING	1	EA
11	030-0613	HYDRAULIC FITTING	2	EA
12	030-8542	HYDRAULIC ADAPTOR	2	EA
13	052-0688	BLUE NYLON TIE WRAP	1	EA
14	052-0690	YELLOW NYLON TIE WRAP	1	EA
15	052-1244	CASE DOCUMENT PLASTIC	1	EA
16	07011-5837	SPACER ASSY	1	EA
17	07011-5870	PROTECTION PLATE	1	EA
18	07011-5903	HOSES GUARD ASSY	1	EA
19	07011-6212	PALET	1	EA
20	07011-6897	GUARD	2	EA
21	07012-3367	ROTATOR	1	EA
22	07012-4984	SPACER	1	EA
23	07012-7465	ELECTRICAL SCHEMATIC	1	EA
24	07013-9468	ELECTRICAL INSTALLATION	1	EA
25	099-7759	HOSE 25" (CUT LENGTH)	1	EA
26	099-7760	HOSE 23" (CUT LENGTH)	1	EA
27	099-7762	HOSE 13" (CUT LENGTH)	2	EA
28	509-0005	LOGO	1	EA


Comments for Page: 07013-9469 (01) QUICK COUPLER ROTATOR KIT

(#21 07012-3367) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

1.0 - ROTATOR KIT

1.2 - 07012-3367 - ROTATOR

1.2.1 - 07012-3367 - ROTATOR



ITEM	PN#	NAME	QTY	UOM
1	001-00001	GREASE FITTING, 1/8 NPT	2	EA
2	003-0052	COILED SPRING PIN	1	EA
3	004-0013	RETAINING RING	1	EA
4	008-0159	BOLT, 5/8-18UNF x 8"lg. Gr.8	16	EA
5	008-0217	BOLT, 3/8-16 UNC x 1"lg. Gr.8 ZINC	4	EA
6	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	4	EA
7	008-0240	BOLT, 1/2-13 UNC x 1 1/4"lg. Gr.8	10	EA
8	008-0241	BOLT, 1/2-13 UNC x 1 1/2"lg. Gr.8 ZINC	4	EA
9	010-0018	NYLON LOCK NUT, 2 x 1 1/2"lg. NF PL Gr.5 ZINC	1	EA
10	012-0009	FLAT WASHER, 1/2"dia ZINC	8	EA
11	017-0169	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 3"lg. Gr.8 ZINC	2	EA
12	017-0174	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 10"lg. Gr.8	4	EA
13	017-0269	HEX. SOCKET HEAD CAP SCREW, 5/16-18 UNC x 1 1/2"lg. Gr.8	4	EA
14	017-0631	HEX. SOCKET SCREW, 3/8-16 UNC x 1/2"lg. Gr.8	4	EA
15	017-0650	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 1 1/2"lg. Gr.8 ZINC	1	EA
16	017-0658	HEX. SOCKET HEAD CAP SCREW, 3/8-16 UNC x 1"lg. Gr.8 ZINC	4	EA
17	017-0662	HEX. SOCKET HEAD CAP SCREW, 3/8-16 UNC x 2"lg. Gr.8 ZINC	2	EA
18	019-0038	DOWEL PIN, 1/4 dia. x 3/4"lg	2	EA
19	020-0086	DRIVE SCREW ZINC, 14-9 x 1/2"	4	EA
20	020-7759	FALSE SCREW, 4 x 1/4"lg.	2	EA
21	030-0032	HYDRAULIC FITTING	2	EA
22	030-0173	PLUG HYDRAULIC SAE	2	EA
23	030-0220	ADAPTER HYDRAULIC	2	EA
24	030-0613	HYDRAULIC FITTING	2	EA
25	030-0840	HYDRAULIC FITTING	2	EA
26	030-1415	MALE CONNECTOR, MJIC 12 x 12 ORB	2	EA
27	030-3497	HYDRAULIC FITTING	2	EA
28	030-8542	HYDRAULIC ADAPTOR	2	EA
29	030-8552	ORFS PLUG 10	2	EA
30	030-8957	MALE ORB PLUG	1	EA
31	040-0008	HYDRAULIC SWIVEL SEAL 4"	5	EA
32	041-0018	O-RING	2	EA
33	041-0072	O-RING	1	EA

ITEM	PN#	NAME	QTY	UOM
34	041-0073	O-RING	2	EA
35	041-1664	O-RING SEAL	1	EA
36	041-9596	O-RING	2	EA
37	042-8072	QUAD-RING SEAL 4342	2	EA
38	044-0004	BACKUP RING	2	EA
39	044-0031	BACK-UP-RING	2	EA
40	045-0010	SEAL	1	EA
41	048-0056	TAPERED ROLLER BEARING	2	EA
42	048-0059	NUT	1	EA
43	048-0062	EXTERNAL TOOTH LOCK WASHER	2	EA
44	048-0147	NEEDLE BEARING	1	EA
45	067-0344	CAVITY PLUG	1	EA
46	07001-1123	MOTOR GUARD ASSY	1	EA
47	07001-2432	SHIM (.030)	2	EA
48	07002-5985	LOGO ROTOBEC	1	EA
49	07011-2533	ROTATOR HOUSING	1	EA
50	07011-2547	BOTTOM PLATE	1	EA
51	07011-5013	MOTOR ASS'Y (1450 PSI)	1	EA
52	07011-5895	ROTATOR SHAFT	1	EA
53	07011-5958	END PLATE	1	EA
54	07011-5969	HYDRAULIC SWIVEL BARREL	1	EA
55	07011-6008	COVER	1	EA
56	07011-6013	SWIVEL SHAFT	1	EA
57	07012-0725	SERIAL NUMBER HOLDER	1	EA
58	07012-4631	HL2 NAME PLATE	1	EA
59	07012-5301	GUARD ASSY	1	EA
60	146-0531	NOTICE LABEL, READ_MANUAL	1	EA
61	146-0532	DANGER LABEL, FALLING OBJECTS	1	EA
62	146-0533	DANGER LABEL, HAND CRUSHING	1	EA
63	146-0738	GREASE ON LEFT, LABEL	1	EA
64	146-0739	STRAIGHT GREASE CHROME ARROW, LABEL	1	EA
65	146-0820	EXCESSIVE HYDRAULIC OIL PRESSURE LABEL	1	EA
66	146-0890	CRUSH ZONE, LABEL	1	EA


ITEM	PN#	NAME	QTY	UOM
67	146-1148	ELECTRIC SHOCK HAZARD, LABEL	1	EA
68	146-3567	CAUTION LABEL	1	EA
69	528-0134	SHIM (.120)	1	EA
70	528-0137	SHIM (.060)	2	EA
71	638-0010	RESTRICTOR	2	EA
72	691-0009	RING GEAR	1	EA
73	691-0011	STOPPER	1	EA
74	691-0025	SLEEVE	2	EA
75	691-0026	SLEEVE	2	EA
76	691-0029	BEARINGS HOUSING	1	EA
77	715-0396	PIN	1	EA
78	067-0194	CARTRIDGE SEAL KIT	1	EA
79	097-0063	SEAL KIT	1	EA
80	146-2348	"RT-504" SERVICE MANUAL	1	EA

Comments for Page: 07012-3367 (03) ROTATOR

(#4 008-0159),(#5 008-0217),(#11 017-0169),(#12 017-0174),(#13 017-0269),(#15 017-0650),(#16 017-0658),(#17 017-0662),(#42 048-0059) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite
 (#7 008-0240),(#9 010-0018),(#45 067-0344) Use a torque wrench. Lubricated torque values in ft-lb.
 (#42 048-0059) Note 1: Refer to Service Manual for torque values
 (#45 067-0344) Seal kit #78
 (#79 097-0063) Parts included in the seals kit are not sold separately, items 31 to 39 included

1.2 - 07012-3367 - ROTATOR

1.2.2 - 07011-5013 - MOTOR ASSEMBLY (1450 PSI)



ITEM	PN#	NAME	QTY	UOM
1	004-0062	RETAINING RING	1	EA
2	030-0227	FILTER ADATPOR	2	EA
3	030-0228	HYDRAULIC FITTING	4	EA
4	040-0030	SHAFT SEAL	1	EA
5	048-0146	THRUST BEARING	1	EA
6	048-0341	BEARING	1	EA
7	064-0020	MOTOR PUMP	1	EA
8	07008-3383	CONNECTING SHAFT	1	EA
9	07008-3578	MOTOR BASE	1	EA
10	07010-0989	SEAL KIT (INCLUDES 040-0030)	1	EA
11	07011-5645	PINION	1	EA
12	07011-5646	SHAFT SUPPORT	1	EA
13	838-0005	RELIEF CARTRIDGE VALVE	2	EA


Comment for: 07011-5013 (05) MOTOR ASSEMBLY (1450 PSI)

Item #7 - 064-0020 - Use a torque wrench. Lubricated torque values in ft-lb.


1.0 - ROTATOR KIT

1.3 - 07013-9468 - ELECTRICAL INSTALLATION

1.3.1 - 07013-9468 - ELECTRICAL INSTALLATION



1.3.1 - 07013-9468 - ELECTRICAL INSTALLATION




ITEM	PN#	NAME	QTY	UOM
1	008-0303	BOLT, 5/16-18 UNC X 5/8"LG. GR.8	4	EA
2	008-4527	BOLT, 1/2-3 UNC X 1 3/4"LG. GR.8	2	EA
3	010-0338	NYLON LOCK NUT, 1/4-20 UNC X 3/8"LG. GR.8	4	EA
4	010-0340	NYLON LOCK NUT, 3/4-8 UNC X 7/16"LG. ZINC	2	EA
5	012-0009	FLAT WASHER, 1/2"DIA ZINC	4	EA
6	012-0021	FLAT WASHER, 3/8"DIA	2	EA
7	012-0350	FLAT WASHER, 1/4" USS ZINC	8	EA
8	017-6146	HEX. SOCKET HEAD CAP SCREW, 1/4-20 UNC X 1/2"LG ZINC	2	EA
9	052-0015	CABLE GLAND	1	EA
10	052-0425	WIRE CLAMP	2	EA
11	052-0728	CABLE GLAND	1	EA
12	052-1389	STEEL RIGID CONDUIT LOCKNUT 1"	1	EA
13	052-2119	HEAT SHRINK TUBING DUAL WALL	1	FT
14	052-2960	CABLE GLAND REDUCER, 3/4 NPT	1	EA
15	052-2967	CABLE GLAND, 1 1/4 NPT (METAL)	1	EA
16	052-3683	SPLICE KIT	1	EA
17	052-3693	SPLICE KIT	2	EA
18	052-3703	MULTI-CABLE GLAND SEALING GROMMET	1	EA
19	052-3704	MULTI-CABLE GLAND SEAL. GROMMET	1	EA
20	052-3781	ADAPTER M12 CIRCULAR CONNECTOR	1	EA
21	052-3782	4 PIN M12 CONNECTOR CABLE	1	EA
22	052-3792	SOLDER SLEEVE (.105)	4	EA
23	052-3800	ELECTRIC SLIPRING	1	EA
24	052-9609	CABLE GLAND NUT	1	EA
25	07001-6468	ADAPTOR	2	EA
26	07011-6021	ELECTRIC SWIVEL LOCK	1	EA
27	07012-4979	PLATE	1	EA
28	07012-5228	BRACKET ASS'Y	1	EA
29	07012-5763	JUNCTION BOX ASS'Y	1	EA
A,F	052-8733	PROTECTIVE NYLON SLEEVE, 14"lg. dia. 3/4"		FT
B	052-0162	HEAT SHRINK TUBING 1/2"		FT
C,E	052-8094	WIRE PROTECTOR, 1/2"ID		FT
D	052-2117	HEAT SHRINK TUBING, 6"lg.-1/16"-3/16"		EA
G	052-8614	HEATSHRINK TUBING, 3/8"		FT

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1.0 - ROTATOR KIT

1.3 - 07013-9468 - ELECTRICAL INSTALLATION

1.3.2 - 07012-5763 - JUNCTION BOX ASSEMBLY




ITEM	PN#	NAME	QTY	UOM
1	009-0050	LOCKNUT BRASS, M12 X 1.5	1	EA
2	010-0338	NYLON LOCK NUT, 1/4-20 UNC x 3/8"lg. Gr.8	6	EA
3	017-0298	BUTTON HEAD BOLT, 1/4-20 UNC x 3/4"lg.	2	EA
4	017-0299	BUTTON HEAD BOLT, 1/4-20 UNC x 2 3/4"lg	2	EA
5	017-0300	BUTTON HEAD BOLT, 1/4-20 UNC x 2 1/2"lg.	2	EA
6	041-0071	O-RING	1	EA
7	041-1645	O-RING 009	6	EA
8	052-3678	BREATHABLE VENT WITH NUT	1	EA
9	052-3764	ELECTRICAL ENCLOSURE DRAIN, M12 x 1.5	1	EA
10	07012-5177	JUNCTION BOX	1	EA
11	07012-5178	JUNCTION BOX COVER	1	EA

1.0 - ROTATOR KIT

1.4 - 07012-7465 - ELECTRICAL SCHEMATIC


OQC65 COUPLERS

MACHINE SIDE



2.0 - COUPLER


2.1 - OQE06000 - OQC65 SS COUPLER CHASSIS KIT



ITEM	PN#	NAME	QTY	UOM
1	30-00867	CABLE TIE MT FOR .35" X .13" CABLE TIE	1	1
2	50-00187	WASHER M6 - 12.0 X 1.8 Z	1	1
3	50-00191	NUT NYLOCK M6 - 1.00 Z_10	1	1
4	50-00773	WASHER NORDLOCK M8 - 13.5 X 2.5 1231	6	6
5	OQ4114638	LOCKING PLUNGERr OQ65	2	2
6	OQ4114640	DIRT GUARD OQ65	1	1
7	OQ4114642	OPENING BAR OQ65	1	1
8	OQ4115781	GUIDE PLATE OQ65	1	1
9	OQ4131065	REAR SENSOR (CHASSIS) OQLS 2.0 OQ65	1	1
10	OQ5118340	OQC65 CHASSIS	1	1
11	OQ7060051	SCREW MC6S M12x60 12.9	2	2
12	OQ7060078	SH CS M8 - 1.25 X 35 Z_12.9	2	2
13	OQ7060079	SCREW MC6S M8 - 1.25 x 20 12.9	4	4
14	OQ7060091	SCREW MF6S M6x20 10.9	4	4
15	OQ7060285	SH CS M6 -1.00 X 12 Z_12.9 LOW PROFILE	1	1
16	OQ7065005	NUT - M12 NYLOCK	2	2
17	OQ7065010	NUT M6M M 6 FZB	2	2
18	OQ7205005	FTG-ZERK M10 X 1.5	4	4
19	OQE07455	ASSY H-CYLINDER 2.0 OQC65	1	1

2.0 - COUPLER


2.2 - OQE07455 - ASSY H-CYLINDER 2.0 OQC65



ITEM	PN#	NAME	QTY	UOM
1	40-00246	FTG-HYD 12MM-E-04MO	2	EA
2	40-00380	FTG-HYD 16FOX-12MO	2	EA
3	OQ4118524	HYDRAULIC COUPLING 3/4", M27 FEMALE	2	EA
4	OQ4126375	ELECTRICAL COUPLING 1/2" FEMALE -100 AMP	2	EA
5	OQ4127121	ELECTRICAL COUPLING 3/4" FEMALE-100 AMP	1	EA
6	OQ5118228	H-CYLINDER OQ65-OQC65	1	EA
7	OQ7200500	ADAPTER ORFS16 UF-M27x2 UF STB 90	2	EA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


2.0 - COUPLER
23 - OQ4126375 - ELECTRICAL COUPLING - 100A 1/2"



ITEM	PN#	NAME	QTY	UOM
1	OQ4126372	FEMALE COUPLING BODY 1/2"	1	EA
2	OQ4126373	ISOLATOR FEMALE ELEC, COUPLING	1	EA
3	OQ4126374	ELECTRICAL COUPLING RETAINER	1	EA
4	OQ7039036	CONTACT SLEEVE 100A P1/100 BS FEMALE	1	EA
5	OQ7170017	CIRCLIP SGH 30 FEMALE 1"	1	EA
6	OQ7072037	WASHER SUPPORT M30 - 41.7 X 2.4	1	EA
7	OQ7170020	CIRCLIP AS - 30 T=2,0	1	EA
8	OQ4116307	ADAPTER RING 1/2", GUIDE PLATE	1	EA


2.0 - COUPLER

2.4 - OQ4127121 - ELECTRICAL COUPLING - 100A 3/4"



ITEM	PN#	NAME	QTY	UOM
1	OQ4127119	FEMALE COUPLING BODY 3/4"	1	EA
2	OQ4126373	ISOLATOR FEMALE ELEC, COUPLING	1	EA
3	OQ7039036	CONTACT SLEEVE 100A P1/100 BS FEMALE	1	EA
4	OQ4126374	ELECTRICAL COUPLING RETAINER	1	EA
5	OQ7170017	CIRCLIP SGH 30 FEMALE 1"	1	EA
6	OQ4115170	WASHER SUPPORT M39 - 41.7 X 2.4	1	EA
7	OQ4127120	NOSE RING - 3/4" 100A FEMALE COUPLING	1	EA
8	OQ7170023	CIRCLIP AS - 38 T=2,5	1	EA

2.0 - COUPLER
2.5 - OQ4131065 - REAR SENSOR



ITEM	PN#	NAME	QTY	UOM
1	OQ4131065	REAR SENSOR (CHASSIS) OQLS 2.0 OQ65	1	EA
2	50-00905	WASHER NORDLOCK M6 - 10.8 X 1.8 1519	2	EA
3	50-00081	SH CS M6 - 1.00 X 20 Z_12.9	2	EA
4	OQE07421	CABLE-18" M8 6-POS MALE M12 5-POS FEMALE	1	EA

2.0 - COUPLER

2.6 - OQ5118101 - FIRST AID KIT

ITEM	PN#	NAME	QTY	UOM
1	OQ7406065	FIRST AID KIT BOX	4	EA
2	OQ4112221	PUSHER 3/4"	1	EA
3	OQ4116296	MOUNTING TOOL 3/4"	1	EA
4	OQ7406065	FIRST AID KIT BOX	1	EA

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Dealer:



OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com