




Manufacturer:

OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com

When ordering spare parts:

- Include the part number, description and desired quantities.
- Include your complete address.
- Specify how the parts are to be delivered.

TABLE OF CONTENTS

OQC90-R68

1.0 - ROTATOR KIT


1.1 - 07013-0045 (01) - QUICK COUPLER ROTATOR	4
1.2 - 07012-7529 - ROTATOR	6
1.2.1 - 07009-1131 - MOTOR ASSEMBLY (1450 PSI)	9
1.2.1.1 - 07009-1132 - VALVE MANIFOLD	10
1.2.1.2 - 07013-1151 - MOTOR & PINION	11
1.2.2 - 07012-2957 (04) - ACCUMULATOR OPTION KIT	12
1.2.3 - 07012-7527 - HYDRAULIC SWIVEL ASSY	14
1.3 - 07013-0044 (01) - ELECTRICAL INSTALLATION	16
1.3.1 - 07013-0044 (01) - ELECTRICAL INSTALLATION	16
1.4 - 07012-7465 - ELECTRICAL SCHEMATIC	18

2.0 - COUPLER

2.1 - QQEO6068 - OQC90 SS COUPLER CHASSIS KIT	20
2.2 - QQE07457 - ASSY H-CYLINDER 2.0 OQC90	22
2.3 - OQC90 - GUARD	24
2.4 - QQ4126375 - ELECTRICAL COUPLING 100A 1/2"	26
2.5 - REAR SENSOR	27

1.0 ROTATOR KIT

1.1 - 07013-0045 (01) - QUICK COUPLER ROTATOR KIT




ITEM	PN#	NAME	QTY	UOM
1	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	16	EA
2	008-0262	BOLT, 5/8-11 UNC x 2 1/2"lg. Gr.8	4	EA
3	010-8447	LOCK NUT, 5/8-11 UNC	4	EA
4	012-0025	FLAT WASHER, 1/2"dia.	16	EA
5	030-0176	HYDRAULIC FITTING	4	EA
6	030-0561	HYDRAULIC FITTING	2	EA
7	052-0688	BLUE NYLON TIE WRAP	2	EA
8	052-0690	YELLOW NYLON TIE WRAP	1	EA
9	052-1227	MANUAL PACK	1	EA
10	07011-0425	PLATE	2	EA
11	07011-0428	SHIPPING PALLET	1	EA
12	07011-4587	SPACER ASS'Y	1	EA
13	07012-1515	PLATE	4	EA
14	07012-7465	ELECTRICAL SCHEMATIC	1	EA
15	07012-7529	ROTATOR	1	EA
16	07013-0044	ELECTRICAL INSTALLATION	1	EA
17	099-7548	HOSE 24 1/2" (CUT LENGTH)	1	EA
18	099-7549	HOSE 25 1/2" (CUT LENGTH)	1	EA
19	099-8106	HOSE 19" (CUT LENGTH)	2	EA
20	099-8107	HOSE 19" (CUT LENGTH)	1	EA
21	099-8108	HOSE 20" (CUT LENGTH)	1	EA
22	146-2355	"RT-...HFE0...-OQC.." SERVICE MANUAL	1	EA

Comments for Page: 07013-0045 (01) QUICK COUPLER ROTATOR KIT

(#15 7012-7529) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

1.2 - 07012-7529 - ROTATOR



ITEM	PN#	NAME	QTY	UOM
1	001-0001	GREASE FITTING, 1/8 NPT	1	EA
2	001-0015	GREASE FITTING, 1/8 NPT	2	EA
3	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	7	EA
4	008-0241	BOLT, 1/2-13 UNC x 1 1/2"lg. Gr.8 ZINC	2	EA
5	008-0262	BOLT, 5/8-11 UNC x 2 1/2"lg. Gr.8	2	EA
6	008-0277	BOLT, 3/4-10 UNC x 3 1/2"lg. Gr.8 ZINC	32	EA
7	008-0278	BOLT, 3/4-10 UNC x 4"lg. Gr.8 ZINC	36	EA
8	008-4527	BOLT, 1/2-3 UNC x 1 3/4"lg. Gr.8	10	EA
9	008-4810	BOLT, 5/8-11 UNC x 5 1/2"lg. Gr.8 ZINC	2	EA
10	008-6133	BOLT, 1/2-13 UNC x 3/4"lg. Gr.8 ZINC	4	EA
11	010-0029	LOCK NUT	1	EA
12	010-4433	NYLON LOCK NUT, 1/2-13 UNC Gr.8 ZINC	2	EA
13	012-0003	FLAT WASHER	4	EA
14	012-0012	FLAT WASHER, 3/4"dia. Gr.8	32	EA
15	012-0025	FLAT WASHER, 1/2"dia.	11	EA
16	017-0254	HEX. SOCKET HEAD CAP SCREW, 5/8-11 UNC x 6"lg. Gr.8	4	EA
17	020-7759	FALSE SCREW, 4 x 1/4"lg.	2	EA
18	025-0003	FLANGE	2	EA
19	026-1036	90 M/F ADAPTOR, 1/8 NPT x 1/8 NPT	2	EA
20	030-0323	HYDRAULIC FITTING	2	EA
21	030-0425	HYDRAULIC FITTING	2	EA
22	030-0487	HYDRAULIC FITTING	2	EA
23	030-0510	HYDRAULIC FITTING	2	EA
24	030-0575	HYDRAULIC FITTING	2	EA
25	030-8541	HYDRAULIC FITTING	2	EA
26	030-8552	ORFS PLUG 10	2	EA
27	030-8823	O'RING FACE SEAL BH UNION, 8 ORFSM x 8 ORFSM	2	EA
28	041-1729	O-RING	1	EA
29	048-0090	SLEWING RING	1	EA
30	052-0138	LOCK WASHER, 1/2"dia	4	EA
31	052-0657	SEALING PLUG, 2"dia.	2	EA
32	07003-1427	SHIM (.030)	2	EA
33	07003-1428	SHIM (.075)	2	EA

ITEM	PN#	NAME	QTY	UOM
34	07003-1429	SHIM (.120)	1	EA
35	07008-7138	COVER	1	EA
36	07008-7160	PIN	1	EA
37	07009-1131	MOTOR ASS'Y	1	EA
38	07009-2624	HYDRAULIC SWIVEL LOCK	1	EA
39	07010-3055	HYDRAULIC FITTING	1	EA
40	07010-3714	HYDRAULIC SWIVEL HEAD	1	EA
41	07010-5816	HYDRAULIC FITTING	1	EA
42	07010-5840	WASHER	1	EA
43	07011-5779	MOTOR GUARD	1	EA
44	07011-5781	HOSE GUARD	1	EA
45	07011-5785	ROTATOR BASE ASS'Y	1	EA
46	07012-2957	ACCUMULATOR OPTION KIT	1	EA
47	07012-7527	HYDRAULIC SWIVEL ASS'Y	1	EA
48	07012-7538	HJ3 NAME PLATE	1	EA
49	099-7529	HOSE 34" (CUT LENGTH)	1	EA
50	099-7538	HOSE 20" (CUT LENGTH)	1	EA
51	099-7539	HOSE 33" (CUT LENGTH)	1	EA
52	099-7610	HOSE 21" (CUT LENGTH)	1	EA
53	146-0219	GREASE ,LABEL	1	EA
54	146-0239	DANGER, LABEL	1	EA
55	146-0739	STRAIGHT GREASE CHROME ARROW, LABEL	2	EA
56	146-1148	ELECTRIC SHOCK HAZARD, LABEL	1	EA
57	146-3567	CAUTION LABEL	1	EA
58	509-0005	LOGO	1	EA
59	07010-6063	SEAL KIT	1	EA
60	146-2355	"RT-...HFE0...-OQC.." SERVICE MANUAL	1	EA


Comments for Page: 07012-7529 (04) ROTATOR

(#5 008-0262),(#6 008-0277),(#7 008-0278),(#8 008-4527),(#9 008-4810),(#16 017-0254) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite
 (#11 010-0029) Use a torque wrench. Lubricated torque values in ft-lb.

1.0 ROTATOR KIT

1.2 - 07012-7529 - ROTATOR

1.2.1 - 07009-1131 - MOTOR ASSEMBLY (1450 PSI)



ITEM	PART NO.	NAME	QTY	UOM
1	017-0190	HEX. SOCKET HEAD CAP SCREW, M10 x 1.5 x 50 Gr. 8.8	4	EA
2	041-0103	SEAL	2	EA
3	07009-1132	VALVE MANIFOLD	1	EA
4	07013-1151	MOTOR & PINION	1	EA

Comments for Page: 07009-1131 (01) MOTOR ASS'Y


(#1 017-0190) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

1.0 ROTATOR KIT

1.2 - 07012-7529 - ROTATOR

1.2.1 - 07009-1131 - MOTOR ASSEMBLY (1450 PSI)

1.2.1.1 - 07009-1132 - VALVE MANIFOLD



ITEM	PN#	NAME	QTY	UOM
1	030-0185	ORB MALE CONNECTOR, ORFS 10 x MALE SAE 10	2	EA
2	030-0228	HYDRAULIC FITTING	3	EA
3	07000-2297	RELIEF CARTRIDGE VALVE ASS'Y	2	EA
4	07001-7374	HYDRAULIC MANIFOLD	1	EA
5	638-0010	RESTRICTOR	2	EA
6	041-3741	O-RING	2	EA

Comments for Page: 07009-1132 VALVE MANIFOLD


(#3 07000-2297) Seal kit #6

1.0 ROTATOR KIT

1.2 - 07012-7529 - ROTATOR

1.2.1 - 07009-1131 - MOTOR ASSEMBLY (1450 PSI)

1.2.1.2 - 07013-1151 - MOTOR & PINION



ITEM	PN#	NAME	QTY	UOM
1	011-0349	NUT, 1 1/4 UNF	1	EA
2	048-0112	BALL BEARING	1	EA
3	061-0244	HYDRAULIC MOTOR	1	EA
4	07001-7357	PINION	1	EA
5	061-0245	MOTOR SEAL KIT	1	EA


Comments for Page: 07013-1151 MOTOR & PINION

(#1 011-0349) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite
(#4 07001-7357) Use "Loctite" LT= Loctite
(#3 061-0244) Seal kit #5

1.0 ROTATOR KIT

1.2 - 07012-7529 - ROTATOR

1.2.2 - 07012-2957 (04) - ACCUMULATOR OPTION KIT




ITEM	PN#	NAME	QTY	UOM
1	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	6	EA
2	012-0025	FLAT WASHER, 1/2"dia.	6	EA
3	012-0352	FLAT WASHER, 3/8 x 1.00"	4	EA
4	018-0041	FIXATION CLAMP	2	EA
5	030-1425	90° ADJUSTABLE ADAPTOR, MJIC 6 x 8 ORB	1	EA
6	030-7901	STRAIGHT MALE ADAPTOR, MJIC 6 x M BSPP 4	1	EA
7	07001-0536	ACCUMULATOR CHARGE	1	EA
8	07012-3072	BRACKET ASS'Y	1	EA
9	07013-3362	GUARD ASS'Y	1	EA
10	099-7688	HOSE 22" (CUT LENGTH)	1	EA
11	127-7299	NYLON LOCK NUT, M8 x 1.25"lg. CL8.8	4	EA

1.0 ROTATOR KIT

1.2 - 07012-7529 - ROTATOR

1.2.3 - 07012-7527 - HYDRAULIC SWIVEL ASSY



ITEM	PN#	NAME	QTY	UOM
1	008-0258	BOLT, 5/8-11 UNC x 1"lg. Gr.8 ZINC	2	EA
2	017-0652	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 2"lg. Gr.8 ZINC	4	EA
3	030-7727	MALE ORB PLUG	2	EA
4	030-8958	PLUG MALE, 16 ORB	4	EA
5	07010-3683	HYDRAULIC SWIVEL SHAFT	1	EA
6	07010-5371	END PLATE	1	EA
7	07010-5853	SEAL KIT	1	EA
8	07010-8288	SWIVEL COVER	1	EA
9	07011-0418	HYDRAULIC SWIVEL BARREL	1	EA


Comments for Page: 07012-7527 HYDRAULIC SWIVEL ASSY

(#2 017-0652) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

[illegible]

1.0 ROTATOR KIT

1.3 - 07013-0044 (01) - ELECTRICAL INSTALLATION



ITEM	PN#	NAME	QTY	UOM
1	008-0303	BOLT, 5/16-18 UNC X 5/8"LG. GR.8	4	EA
2	009-0328	NUT, 1/4-20 UNC GR.8	1	EA
3	012-0351	FLAT WASHER, 5/16"DIA.	4	EA
4	017-0160	HEX. SOCKET HEAD CAP SCREW, 8-32 UNC x 5/8"lg. Gr.8 ZINC	4	EA
5	017-6146	HEX. SOCKET HEAD CAP SCREW, 1/4-20 UNC x 1/2"lg. ZINC	4	EA
6	020-0740	MECH. ROUND HEAD SQUARE SOCKET, 8-32 UNC x 1"lg.	1	EA
7	020-9618	NYLON LOCK NUT, 8-32 UNC	1	EA
8	043-0006	GASKET SEAL	1	EA
9	052-0015	CABLE GLAND	2	EA
10	052-0047	CABLE GLAND NUT	1	EA
11	052-2119	HEAT SHRINK TUBING DUAL WALL	1	FT
12	052-2960	CABLE GLAND REDUCER, 3/4 NPT	2	EA
13	052-2967	CABLE GLAND, 1 1/4 NPT (METAL)	2	EA
14	052-3693	SPLICE KIT	2	EA
15	052-3703	MULTI-CABLE GLAND SEALING GROMMET	2	EA
16	052-3781	ADAPTER M12 CIRCULAR CONNECTOR	1	EA
17	052-3782	4 PIN M12 CONNECTOR CABLE	1	EA
18	052-3792	SOLDER SLEEVE (.105)	4	EA
19	052-3800	ELECTRIC SLIPRING	1	EA
20	052-9188	NYLON TIE WRAP	1	EA
21	052-9609	CABLE GLAND NUT	1	EA
22	07001-6468	ADAPTOR	2	EA
23	07010-5438	ELECTRIC SWIVEL LOCK	1	EA
24	07012-3119	JUNCTION BOX	1	EA
A,F,H	052-8733	PROTECTIVE NYLON SLEEVE, 14"lg. dia. 3/4"		FT
B-C	052-8094	WIRE PROTECTOR, 1/2"ID		FT
D	052-0162	HEAT SHRINK TUBING 1/2"		FT
E	052-8614	HEATSHRINK TUBING, 3/8"		FT
G	052-8094	WIRE PROTECTOR, 1/2"ID		FT
J	052-0021	JUNCTION TERMINAL BLOCK		FT

Comments for Page: 07013-0044 (01) ELECTRICAL INSTALLATION


(#1 008-0303) Use ""Loctite"" LT= Loctite

1.0 - ROTATOR KIT

1.4 - 07012-7465 - ELECTRICAL SCHEMATIC

OQC90 COUPLERS


MACHINE SIDE



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

2.0 - COUPLER



2.1 - OQE06068 - OQC90 SS COUPLER CHASSIS KIT



ITEM	PN#	NAME	QTY	UOM
1	30-00867	CABLE TIE MT FOR .35" X .13" CABLE TIE	7	EA
2	50-00682	WASHER NORDLOCK M10 - 16.6 X 2.5 1244	1	EA
3	50-00734	WASHER NORDLOCK M16 - 25.4 X 3.3 1536	2	EA
4	50-00773	WASHER NORDLOCK M8 - 13.5 X 2.5 1231	4	EA
5	OQ4114794	LOCKING PLUNGER OQ90	2	EA
6	OQ4114818	DIRT GUARD OQ90	1	EA
7	OQ4114819	OPENING BAR OQ90	1	EA
8	OQ4120223	GUIDE PLATE OQ90	1	EA
9	OQ4131164	REAR SENSOR (CHASSIS) OQLS 2.0 OQ90	1	EA
10	OQ5113143	OQC90 CHASSIS	1	EA
11	OQ7060091	SCREW MF6S M6x20 10.9	6	EA
12	OQ7060094	SH CS M8 - 1.25 X 25 Z_12.9	4	EA
13	OQ7060159	SH CS M16 X 60	2	EA
14	OQ7060161	SH CS M20 - 2.50 X 100 Z_12.9	2	EA
15	OQ7060285	SH CS M6 -1.00 X 12 Z_12.9 LOW PROFILE	7	EA
16	OQ7065006	NUT M10 X 1.50 Z_10.9	2	EA
17	OQ7065007	NUT NYLOCK M20 X 2.50 Z_10.9	2	EA
18	OQ7205005	FTG-ZERK M10 X 1.5	4	EA
19	OQE07457	ASSY H-CYLINDER 2.0 OQC90	1	EA

2.0 - COUPLER

2.2 - OQE07457 - ASSY H-CYLINDER 2.0 OQC90




ITEM	PN#	NAME	QTY	UOM
1	OQ4118454	HYDRAULIC COUPLING 1" - M33 FEMALE	4	EA
2	OQ4121134	POLY ADAPTER 3/4", H-CYLINDER	1	EA
3	OQ4121140	POLY ADAPTER 1/4"+3/8" H-CYLINDER	1	EA
4	OQ4126375	ELECTRICAL COUPLING 1/2" FEMALE -100 AMP	3	EA
5	OQ5113088	H-CYLINDER OQ90-OQC90	1	EA
6	OQ7200210	FTG-HYD 12MM- 04MO 90	2	EA
7	OQ7200229	FTG-HYD FOX16 M33x2 UF 90° adj	4	EA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

2.0 - COUPLER


2.3 - OQC90 GUARDS



ITEM	PN#	NAME	QTY	UOM
1	50-00121	HH CS 0.250 - 20 X 1.000	8	EA
2	50-00122	WASHER 0.250 - 0.63 X 0.07 Z H	16	EA
3	50-00816	WASHER NORDLOCK M20 - 30.7 X 3.4	30	EA
4	50-01139	HH CS M20 - 2.50 X 160 P_10.9	30	EA
5	50-01331	NUT NYLOCK .250 - 20 Z 8	8	EA
6	OQ4134166	EMBLEM - OILQUICK OQC90	2	EA
7	OQ4134673	PROTECTIVE PLATE REAR SENSOR	1	EA
8	OQ4139192	PROTECTIVE PLATE MAG	1	EA
9	OQ7060188	Screw A4-80 M6S M6x16	8	EA
10	OQ7072029	WASHER FNDR M6 - 28.0 Z	8	EA
11	50-00468	HH CS 0.500 - 13 X 1.00 Z_8	8	EA
12	50-00090	WASHER 0.500 X 1.06 X 0.10 Z_H	8	EA

2.0 - COUPLER


2.4 - OQ4126375 - ELECTRICAL COUPLING 100A 1/2"



ITEM	PN#	NAME	QTY	UOM
1	OQ4126372	FEMALE COUPLING BODY 1/2"	1	EA
2	OQ4126373	ISOLATOR FEMALE ELEC, COUPLING	1	EA
3	OQ4126374	ELECTRICAL COUPLING RETAINER	1	EA
4	OQ7039036	CONTACT SLEEVE 100A P1/100 BS FEMALE	1	EA
5	OQ7170017	CIRCLIP SGH 30 FEMALE 1"	1	EA
6	OQ7072037	WASHER SUPPORT M30 - 41.7 X 2.4	1	EA
7	OQ7170020	CIRCLIP AS - 30 T=2,0	1	EA
8	OQ4116307	ADAPTER RING 1/2", GUIDE PLATE	1	EA

2.0 - COUPLER

2.5 - REAR SENSOR



ITEM	PN#	NAME	QTY	UOM
1	OQ4131164	REAR SENSOR (CHASSIS) OQLS 2.0 OQ90	1	EA
2	50-00905	WASHER NORDLOCK M6 - 10.8 X 1.8 1519	4	EA
3	OQ7060233	SHCS M6 - 1.00 X 40 Z_12.9	4	EA
4	OQE07421	CABLE-18" M8 6-POS MALE M12 5-POS FEMALE	1	EA

Dealer:



OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com