




Manufacturer:

OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com

When ordering spare parts:

- Include the part number, description and desired quantities.
- Include your complete address.
- Specify how the parts are to be delivered.

TABLE OF CONTENTS




OQC90-R68

1.0 ROTATOR KIT	4
1.1 - 07012-7526 QUICK COUPLER ROTATOR KIT	4
1.1.1 - 07012-7526 - QUICK COUPLER ROTATOR KIT	4
1.1.2 - 07012-7465 - ELECTRICAL SCHEMATIC	6
1.2 - 07012-7526 ROTATOR	8
1.3 - 07009-1131 - MOTOR ASSY	12
1.3.1 - 07009-1132 - VALVE MANIFOLD	13
1.3.2 - 07013-1151 - MOTOR & PINION	14
1.3.3 - 07012-2957 - ACCUMULATOR OPTION KIT	16
1.3.4 - 07012-7527 - HYDRAULIC SWIVEL ASSY	18
1.4 - 07012-7535 - ELECTRICAL INSTALLATION	20
2.0 COUPLER	22
2.1 - 5113067 - OQC90 - COUPLER CHASSIS KIT	22
2.2 - OQC90 - GUARD	24
3.0 LOCK SUPPORT	26
3.1 - 5193067 - OQLS INSTALLATION KIT	26
3.2 - 5111069 - CAN CABLE KIT	28
3.3 - 5190132 - SENSOR KIT	29
3.4 - 4120613 - LOCK VALVE	30
3.5 - 4123124 - DEPRESSURIZATION VALVE	31
4.0 ADAPTER PLATES	
4.1 - 5113070 - HYDRAULIC ADAPTER PLATE	32
4.2 - 5113069 - MAGNET ADAPTER PLATE	33

1.0 - ROTATOR KIT

1.1 - 07012-7526 - QUICK COUPLER ROTATOR KIT

1.1.1 - 07012-7526 - QUICK COUPLER ROTATOR KIT



ITEM	QOQT PART NO.	NAME	QTY	UOM
1	008-0239	BOLT, 1/2-13 UNC x 1 "lg. Gr.8 ZINC	16	EA
2	008-0262	BOLT, 5/8-11 UNC x 2 1/2"1g. Gr.8	4	EA
3	010-8447	LOCK NUT, 5/8-11 UNC	4	EA
4	012-0025	FLAT WASHER, 1/2" dia.	16	EA
5	030-0176	HYDRAULIC FITTING	4	EA
6	030-0561	HYDRAULIC FITTING	2	EA
7	052-0688	BLUE NYLON TIE WRAP	2	EA
8	052-0690	YELLOW NYLON TIE WRAP	1	EA
9	052-1227	MANUAL PACK	1	EA
10	07011-0425	PLATE	2	EA
11	07011-0428	SHIPPING PALLET	1	EA
12	07011-4587	SPACER ASS'Y	1	EA
	07012-1515	PLATE	5	EA
14	07012-7465	ELECTRICAL SCHEMATIC	1	EA
15	07012-7529	ROTATOR	1	EA
16	07012-7535	ELECTRICAL INSTALLATION	1	EA
17	099-7540	LOCK HOSE	1	EA
18	099-7541	OPEN HOSE	1	EA
19	099-8106	HOSE 19" (CUT LENGTH)	2	EA
20	099-8107	HOSE 19" (CUT LENGTH)	1	EA
21	099-8108	HOSE 20" (CUT LENGTH)	1	EA
22	115-8393	METRIC HEX. HEAD BOLT, M20-2.5 x 60"1g. FLAT	30	EA
23	117-0002	WASHER, 20mm	30	EA

Comments for Page: 07012-7526 (02) QUICK COUPLER ROTATOR KIT

(#15 07012-7529),(#22 115-8393) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite


6

1.1.2 - 07012-7465 - ELECTRICAL SCHEMATIC

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1.0 - ROTATOR KIT

1.2 - 07012-7526 ROTATOR



ITEM	PN#	NAME	QTY	UOM
1	001-0001	GREASE FITTING, 1/8 NPT	1	EA
2	001-0011	GREASE FITTING, 1/8 NPT x 1 3/4" LG	2	EA
3	008-0239	BOLT, 1/2-13 UNC x 1" LG. GR.8 ZINC	11	EA
4	008-0241	BOLT, 1/2-13 UNC x 1 1/2" LG. GR.8 ZINC	2	EA
5	008-0264	BOLT, 5/8-11 UNC x 3 1/2" LG. GR.8 ZINC	32	EA
6	008-0265	BOLT, 5/8-11 UNC x 4" LG. GR.8	36	EA
7	008-0267	BOLT, 5/8-11 UNC x 5" LG. GR.8	2	EA
8	008-0366	BOLT, 5/8-11 UNC x 2 1/4" LG. GR.8 ZINC	2	EA
9	008-4527	BOLT, 1/2-3 UNC x 1 3/4" LG. GR.8	10	EA
10	010-0018	NYLON LOCK NUT, 2 x 1 1/2"LG. NF PL GR.4 ZINC	1	EA
11	010-4433	NYLON LOCK NUT, 1/2-13 UNC GR.8 ZINC	2	EA
12	012-0003	FLAT WASHER	36	EA
13	012-0025	FLAT WASHER, 1/2"DIA	11	EA
14	017-0254	HEX. SOCKET HEAD CAP SCREW, 5/8-11 UNC x 6"LG. GR.8	4	EA
15	020-7759	FALSE SCREW, 4 x 1/4"LG	2	EA
16	025-0003	FLANGE	2	EA
17	026-1036	90 M/F ADAPTOR, 1/8 NPT x 1/8 NPT	2	EA
18	030-0323	HYDRAULIC FITTING	2	EA
19	030-0425	HYDRAULIC FITTING	2	EA
20	030-0510	HYDRAULIC FITTING	2	EA
21	030-0534	HYDRAULIC FITTING	2	EA
22	030-0535	HYDRAULIC FITTING	2	EA
23	030-0575	HYDRAULIC FITTING	2	EA
24	030-8541	HYDRAULIC FITTING	2	EA
25	030-8552	ORFS PLUG 10	2	EA
26	030-8823	O'RING FACE SEAL BH UNION, 8 ORFSM x 8 ORFSM	2	EA
27	041-1729	O-RING	1	EA
28	048-0097	SLEWING RING	1	EA
29	052-0138	LOCK WASHER, 1/2"DIA	4	EA
30	052-0657	SEAL PLUG, 2"DIA	2	EA
31	07001-7366	PROTECTOR PLATE	1	EA
32	07002-5060	SHIM (.030)	2	EA
33	07002-5067	SHIM (.120)	1	EA

ITEM	PN#	NAME	QTY	UOM
34	07005-8818	SHIM (.060)	2	EA
35	07007-7942	WASHER	1	EA
36	07009-1131	MOTOR ASSY	1	EA
37	07009-2624	HYDRAULIC SWIVEL LOCK	1	EA
38	07010-3055	HYDRAULIC FITTING	1	EA
39	07010-3714	HYDRAULIC SWIVEL HEAD	1	EA
40	07010-5816	HYDRAULIC FITTING	2	EA
41	07011-5768	PIN	1	EA
42	07011-5770	HOSE GUARD	1	EA
43	07011-5773	ROTATOR BASE ASSY	1	EA
44	07011-5779	MOTOR GUARD	1	EA
45	07012-3199	ACCUMULATOR OPTION KIT	1	EA
46	07012-7455	HYDRAULIC SWIVEL ASSY	1	EA
47	07012-7469	NAME PLATE HB3	1	EA
48	099-6677	HOSE 31" (CUT LENGTH)	1	EA
49	099-6678	HOSE 32" (CUT LENGTH)	1	EA
50	099-7610	HOSE 21" (CUT LENGTH)	1	EA
51	099-7611	HOSE 18" (CUT LENGTH)	1	EA
52	146-0219	GREASE, LABEL	1	EA
53	146-0239	DANGER, LABEL	1	EA
54	146-0739	STRAIGHT GREASE CHROME ARROW, LABEL	3	EA
55	146-1148	ELECTRIC SHOCK HAZARD, LABEL	1	EA
56	146-3567	CAUTION LABEL	1	EA
57	509-0005	LOGO	1	EA
58	07010-6063	SEAL KIT	1	EA
59	146-2355	"RT-...HFEO...-OQC.." SERVICE MANUAL	1	EA

Comments for Page: 07012-7523 (03) ROTATOR

(#5 008-0264), (#6 008-0265), (#7 008-0267), (#8 008-0366), (#9 008-4527), (#14 017-0254) Use a torque wrench.
Lubricated torque values in ft-lb. LT= Loctite


(#10 010-0018) Use a torque wrench. Lubricated torque valves in ft-lb.

(#58 07010-6063) Parts included in the seals kit are not sold separately.

[illegible]

1.0 - ROTATOR KIT

1.3 - 07009-1131 - MOTOR ASSY



ITEM	OQRT PN#	NAME	QTY	UOM
1	011-0349	NUT, 1 1/4 UNF	1	EA
2	017-0190	HEX. SOCKET HEAD CAP SCREW, M10 x 1.5 x 50 Gr. 8.8	4	EA
3	041-0103	SEAL	2	EA
4	048-0112	BALL BEARING	1	EA
5	061-0244	HYDRAULIC MOTOR	1	EA
6	07001-7357	PINION	1	EA
7	07009-1132	VALVE MANIFOLD	1	EA
8	061-0245	MOTOR SEAL KIT	1	EA

Comments for Page: 07009-1131 MOTOR ASSY


(#1 011-0349),(#2 017-0190) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite wrench.

(#6 07001-7357) Use "Loctite" LT= Loctite

1.0 - ROTATOR KIT

1.3 - 07009-1131 - MOTOR ASSY

1.3.1 - 07009-1132 - VALVE MANIFOLD




ITEM	OQRT PN#	NAME	QTY	UOM
1	030-0185	ORB MALE CONNECTOR ORFS 10 X MALE SAE 10	2	EA
2	030-0228	HYDRAULIC FITTING	3	EA
3	07000-2297	RELIEF CARTRIDGE VALVE ASSY	2	EA
4	07001-7374	HYDRAULIC MANIFOLD	1	EA
5	638-0010	RESTRICTOR	2	EA
6	041-3741	O-RING	2	EA

1.0 - ROTATOR KIT

1.3 - 07009-1131 - MOTOR ASSY

1.3.2 - 07013-1151 - MOTOR & PINION



ITEM	PN#	NAME	QTY	UOM
1	011-0349	NUT, 1 1/4 UNF	1	EA
2	048-0112	BALL BEARING	1	EA
3	061-0244	HYDRAULIC MOTOR	1	EA
4	07001-7357	PINION	1	EA
5	061-0245	MOTOR SEAL KIT	1	EA

Comments for Page: 07013-1151 MOTOR & PINION

(#1 011-0349) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite


(#4 07001-7357) Use "Loctite" LT= Loctite

(#3 061-0244) Seal kit #5

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1.3 - 07009-1131 - MOTOR ASSY

1.3.3 - 07012-2957 - ACCUMULATOR OPTION KIT




ITEM	OQRT PART NO.	NAME	QTY	UOM
1	008-0239	BOLT, 1/2-13 UNC x 1"lg. Gr.8 ZINC	6	EA
2	012-0025	FLAT WASHER, 1/2"dia.	6	EA
3	012-0352	FLAT WASHER, 3/8 x 1.00"	4	EA
4	018-0041	FIXATION CLAMP	2	EA
5	030-1425	90° ADJUSTABLE ADAPTOR, MJIC 6 x 8 ORB	1	EA
6	030-7901	STRAIGHT MALE ADAPTOR, MJIC 6 x M BSPP 4	1	EA
7	07001-0536	ACCUMULATOR CHARGE	1	EA
8	07011-7388	FRONT GUARD	1	EA
9	07012-3072	BRACKET ASS'Y	1	EA
10	099-7688	HOSE 22" (CUT LENGTH)	4	EA
11	127-7299	HYDRAULIC HOSE	4	EA

1.0 - ROTATOR KIT

1.3 - 07009-1131 - MOTOR ASSY

1.3.4 - 07012-7527 - HYDRAULIC SWIVEL ASSY



ITEM	QQRT PART NO.	NAME	QTY	UOM
1	008-0258	BOLT, 5/8-11 UNC x 1"lg. Gr.8 ZINC	2	EA
2	017-0652	HEX. SOCKET HEAD CAP SCREW, 1/2-13 UNC x 2"lg. Gr.8 ZINC	4	EA
3	017-0652	MALE ORB PLUG	2	EA
4	030-8958	PLUG MALE, 16 ORB	4	EA
5	07010-3683	HYDRAULIC SWIVEL SHAFT	1	EA
6	07010-5371	END PLATE	1	EA
7	07010-5853	SEAL KIT	1	EA
8	07010-8288	SWIVEL COVER	1	EA
9	07011-0418	HYDRAULIC SWIVEL BARREL	1	EA


Comments for Page: 07012-7527 HYDRAULIC SWIVEL ASSY

(#2 017-0652) Use a torque wrench. Lubricated torque values in ft-lb. LT= Loctite

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1.0 - ROTATOR KIT

1.4 - 07012-7535 - ELECTRICAL INSTALLATION




ITEM	OQRT PART NO.	NAME	QTY	UOM
1	008-0303	BOLT, 5/16-18 UNC x 5/8"lg. Gr.8	4	EA
2	009-0328	NUT, 1/4-20 UNC Gr. 8	1	EA
3	012-0351	FLAT WASHER, 5/16"dia.	4	EA
4	017-0160	HEX. SOCKET HEAD CAP SCREW, 8-32 UNC x 5/8"lg. Gr.8 ZINC	4	EA
5	017-6146	HEX. SOCKET HEAD CAP SCREW, 1/4-20 UNC x 1/2"lg. ZINC	4	EA
6	020-0740	MECH. ROUND HEAD SQUARE SOCKET, 8-32 UNC x 1"lg.	1	EA
7	020-9618	NYLON LOCK NUT, 8-32 UNC	1	EA
8	043-0006	GASKET SEAL	1	EA
9	052-0015	CABLE GLAND	2	EA
10	052-0021	JUNCTION TERMINAL BLOCK	1	FT
11	052-0047	CABLE GLAND NUT	1	EA
12	052-2119	HEAT SHRINK TUBING DUAL WALL	1	FT
13	052-2960	CABLE GLAND REDUCER, 3/4 NPT	2	EA
14	052-2968	6 AWG FEMALE PIGTAIL CONNECTOR	2	EA
15	052-2969	6 AWG MALE PIGTAIL CONNECTOR	2	EA
16	052-2970	INSULATED PIGTAIL CONNECTORS BOX	2	EA
17	052-3703	MULTI-CABLE GLAND SEALING GROMMET	2	EA
18	052-3781	ADAPTER M12 CIRCULAR CONNECTOR	1	EA
19	052-3782	4 PIN M12 CONNECTOR CABLE	1	EA
20	052-3792	SOLDER SLEEVE (.105)	4	EA
21	052-3800	ELECTRIC SLIPRING	1	EA
22	052-4041	CABLE GLAND	2	EA
23	052-9188	NYLON TIE WRAP	4	EA
24	052-9609	CABLE GLAND NUT	1	EA
25	07001-6468	ADAPTOR	2	EA
26	07010-5438	ELECTRIC SWIVEL LOCK	1	EA
27	07012-3119	JUNCTION BOX	1	EA
A,F,H	052-8733	PROTECTIVE NYLON SLEEVE, 14"lg. dia. 3/4"		FT
B,C,G	052-8094	WIRE PROTECTOR, 1/2"ID		FT
D	052-0162	HEAT SHRINK TUBING 1/2"		FT
E	052-8614	HEATSHRINK TUBING, 3/8"		FT

Comments for Page: 07012-7535 ELECTRICAL INSTALLATION

(#1 008-0303) Use "Loctite" LT= Loctite

2.0 COUPLER


2.1 - 5113067 - OQC90 - COUPLER CHASSIS KIT



ITEM	OQRT PART NO.	NAME	QTY	UOM
1	4133243	CHASSIS OQC90	1	EA
2	7410059	DECAL	2	EA
3	7205005	GREASE ZERK M10x1.5	4	EA
4	4118161	EMBLEM OilQuick	1	EA
5	7093007	POP RIVET 3.2x12.5	4	EA
6	7089006	PIN 12X40	2	EA
7	OQ7200210	FTG-HYD 12MM- 04MO 90	2	EA
8	5180039	FEMALE COUPLING ASSEMBLY 1"	4	EA
9	4114819	OPENING BAR OQ90	1	EA
10	7065006	NUT M6M M10	1	EA
11	7072028	LOCK WASHER NordLock M10	1	EA
12	7065007	LOCK NUT Locking M20	2	EA
13	7060161	SCREW MC6S 20x100(12.9)	2	EA
14	4120340	H-CYLINDER OQ 90	1	EA
15	7060159	SCREW MC6S 16x60	2	EA
16	7072034	LOCK WASHER NordLock M16	2	EA
17	4114794	LOCKING BOLT OQ90	2	EA
18	4121134	ADAPTER 3/4"	1	EA
19	4121140	ADAPTER 1/4"+3/8"	1	EA
20	4126375	ELECTRICAL COPULING 1/2" 100A	3	EA
21	4120223	GUIDE PLATE OQ90	1	EA
22	7072021	LOCK WASHER NordLock M8	4	EA
23	7060094	SCREW MC6S 8x25	4	EA
24	4114818	DIRT GUARD OQ90	1	EA
25	7060091	SCREW MF6S 6x20(10.9 OBH)	6	EA

2.0 COUPLER


2.2 - OQC90 - GUARD



ITEM	PN#	NAME	QTY	UOM
1	OQ5113067	OQC90 CHASSIS KIT	1	EA
2	50-00816	WASHER NORDLOCK M20 - 30.7 X 3.4	30	EA
3	50-01139	HH CS M20 - 2.50 X 160 Z_10.9	30	EA
4	OQ7060296	SCREW M6S 6X20(A4)	12	EA
5	OQ7072043	WASHER BRB 6,4x12x1,5(A4)	24	EA
6	OQ4134166	LOGO PLATE OQC90	3	EA
7	OQ4134165	GUARD OQC90	2	EA
8	OQ7065056	WASHER LOCKING M6 A4	12	EA
9	OQRT07011-0425	PLATE	2	EA
10	OQ4134792	PROTECTIVE WRAP	38	IN
11	OQ7086001	P CLIP	2	EA
12	OQ7206080	SCREW MC6S M6x20 12.9	2	EA
13	30-00697	1" X 48" BLK ADHESIVE LINED HEAT SHRINK	18	IN
14	OQ7060116	SCREW M6S M8 - 1.25 x 50 8.8 FZB	2	EA
15	OQ4134822	SLEEVE M8	2	EA
16	OQ4134691	PROTECTIVE PLATE MAG	1	EA
17	OQ4134673	PROTECTIVE PLATE OQLS	1	EA
18	OQ7072029	WASHER FNDR M6 - 28.0 Z	6	EA
19	OQ7060188	SCREW A4-80 M65 M6x16	6	EA

3.0 LOCK SUPPORT


3.1 - 5193067 - OQLS INSTALLATION KIT



ITEM	PN#	NAME	QTY	UOM
1	OQ4126332	OQLS CABIN PANEL GEN 2 (NEW)	1	EA
2	OQ4131663	MASTER UNIT - OQLS 2.0 (SINGLE PRESS)	1	EA
3	OQ4121394	CABLE Set OQLS (PB/LOCK/PRESSURE)	2	EA
4	OQ4121393	CABLE DEPRESSURIZATION VALVE OQ80	1	EA
5	OQ4123140	CABLE POWER OQLS OQ80, TLE	1	EA
6	OQ7034048	2 PIN PLUG DT06-2S	2	EA
7	OQ7034051	2 PIN PLUG WEDGE LOCK W2S	2	EA
8	OQ7034026	DEUTCH CONNECTOR SOCKET 24022-01	12	EA
9	OQ7034133	PROTECTIVE HOOD DT2S-BT	2	EA
10	OQ7034034	HEAT SHRINK	3	EA
11	OQ7034025	4 PIN PLUG DT06-04SA	1	EA
12	OQ7034023	4 PIN WEDGE LOCK W04S	1	EA
13	OQ7034131	PROTECTIVE HOOD DT4S-BT	1	EA
14	OQ7034140	SPLIT LOOM	1	EA
15	OQ4124026	MOUNTING PLATE - MASTER UNIT	1	EA
16	OQ7060153	SCREW MC6S M5x30 12.9	2	EA
17	OQ7072033	WASHER NORDLOCK M5 - 9.0 X 1.8	2	EA
18	OQ7033002	CABLE - OQLS PANEL 6M (19' 6" lg)	1	EA
19	OQ7033010	OQLS EXTENSION CABLE 10M 12-pol OQC65/70	1	EA

3.0 - LOCK SUPPORT


3.2 - 5111069 - CAN CABLE KIT



ITEM	PN#	NAME	QTY	UOM
1	7033080	EXTENSION CANBUS OQCS/OQLS M/F 15M(49'2)	2	EA
2	7033083	EXTENSION CANBUS OQCS/OQLS M/F 6M(19'6")	2	EA
3	7033070	CABLE - EXTENSION, BOOM L=2,0M M-F	1	EA

3.0 - LOCK SUPPORT


3.3 - 5190132 - SENSOR KIT



ITEM	PART NO.	NAME	QTY	UOM
1	OQ7087000	CABLE FASTENER	7	EA
2	OQ7060285	SCREW MC6LS 6x12(12.9)	7	EA
3	OQ7033100	SENSOR CABLE OQLS 2.0 0,3m MALE - MALE	1	EA
4	OQ5190253	FRONT SENSOR OQLS 2.0 OQ90	1	EA
5	OQ7060153	SCREW MC6S 5x30(12.9)	2	EA
6	OQ7072033	LOCK WASHER NordLock M5	2	EA
7	OQ4131384	OQLS STICK UNIT 2.0	1	EA
8	OQ4131164	REAR SENSOR (CHASSIS) OQLS 2.0 OQ90	1	EA

3.0 - LOCK SUPPORT


3.4 - 4120613 - LOCK VALVE



ITEM	PN#	NAME	QTY	UOM
1	OQ4125986	LOCK - POWERBOOST VALVE BLOCK	1	EA
2	OQ7005057	SOLENOID 24V LOCK-POWER BOOST VALVE	2	EA
3	OQ7005053	VALVE CARTRIDGE 6/2 (LOCKING SIDE)	1	EA
4	OQ7005054	VALVE CARTRIDGE 2/2 (POWERBOOST SIDE)	1	EA
5	OQ7200283	FTG-HYD 04MBSPP PLUG SEAL E	1	EA
6	OQ7060011	SCREW SK6SS M6x8	1	EA
7	OQ7072020	WASHER NORDLOCK M6	3	EA
8	OQ7060076	SCREW MC6S M6x55 12.9	3	EA
9	OQ7009024	LOCK - POWER BOOST CHECK VALVE	1	EA
10	OQ4125987	M6 ORIFICE (1.5MM)	1	EA

3.0 - LOCK SUPPORT


3.6 - 4123124 - DEPRESSURIZATION VALVE



ITEM	PN#	NAME	QTY	UOM
1	OQ4115423	HYDRAULIC BLOCK, DEPRESSURIZING KIT	1	EA
2	OQ7060056	SCREW MC6S M8 - 1.25 x 80 12.9	2	EA
3	OQ7072021	WASHER NORDLOCK M8	2	EA
4	OQ7200207	NIPPLE ORFS04 UF-M14x1.5 UF	3	EA
5	OQ7200214	PLUG M14x1,5	2	EA
6A	OQ7005082	VALVE CARTRIDGE 2/2	2	EA
6B	OQ7005069	VALVE CARTRIDGE 2/2 PRV PARKER	2	EA
7A	OQ7005083	SOLENOID 28V, DT, DEPRESSURIZING (ROUND)	2	EA
7B	OQ7005070	SOLENOID 28V, DT, DEPRESSURIZING (SQUARE)	2	EA

4.0 ADAPTER PLATES


4.1 - 5113070 - HYDRAULIC ADAPTER PLATE



ITEM	PN#	NAME	QTY	UOM
1	—	ADAPTER PLATE OQC90	1	EA
2	OQ4116271	EMBLEM - OILQUICK - OQ70-OQ120	2	EA
3	OQ5180129	STICKER KIT OQC90	1	EA
4	OQE04743	SERIAL TAG - OILQUICK AMERICAS	1	EA
5	OQ4112668	POLYADAPTER 1/2" OQ70 - OQ90	3	EA
6	OQ5113014	POLYADAPTER 1/4" OQ90	1	EA
7	OQ4112670	POLYADAPTER 3/4" OQ70 - OQ90	1	EA
8	OQ5113015	COUPLING 1" MALE LONG OQ90	4	EA
9	OQ7060133	SCREW MC6LS 8x20(10.9)	2	EA
10	OQ7072021	LOCK WASHER NORDLOCK M8	2	EA
11	OQ4114829	DEFLECTOR- OQ90 OQC90	1	EA

4.0 ADAPTER PLATES

4.2 - 5113069 - MAGNET ADAPTER PLATE



ITEM	PN#	NAME	QTY	UOM
1	—	ADAPTER PLATE OQC90	1	EA
2	OQ4116271	EMBLEM - OILQUICK - OQ70-OQ120	2	EA
3	OQ5180129	STICKER KIT OQC90	1	EA
4	OQE04743	SERIAL TAG - OILQUICK AMERICAS	1	EA
5	OQ4126578	ELECTRICAL COUPLING 1/2" MALE -100 AMP	3	EA
6	OQ5113014	POLY ADAPTER 1/4" OQ90	1	EA
7	OQ4112670	POLY ADAPTER 3/4" OQ70 - OQ90	1	EA
8	OQ4112672	POLY ADAPTER 1" OQ70-90	4	EA
9	OQ7060133	SCREW MC6LS 8x20(10.9)	2	EA
10	OQ7072021	LOCK WASHER NordLock M8	2	EA
11	OQ4114829	DEFLECTOR- OQ90 OQC90	1	EA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Dealer:



OilQuickAmericas
155 Main Street
Superior, WI 54880
Phone: 262.607.8425
Fax: 715.395.3703

E-mail: info@oilquickamericas.com
Web: www.oilquickamericas.com